

# PRODUCT SHEET

## 24inch Android Non Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-2402AIO

Android Display

### MAIN FEATURES:


- AutoStart by plug in power-adapter
- LCD panel 1920x1080 pixels
- Internal HD videoplayer 1080P
- Rooted Android 5.1 / 6.0 / 8.1 - RK3288
- Internet access by WIFI / LAN (opt. 3G)
- Internal Speakers 2x2 W
- 3.5mm Jack output
- Thin housing
- Remote Control
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- Screw Holes for hangup / built-in



### MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

### Internet access by:



### USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

### SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

### OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 7 / 10 / 14 / 15.6 / 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup.



Next pages: technical specs and drawing

# PRODUCT SHEET

# Android Display

## 24inch Android Non Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-2402AIO

### SPECIFICATIONS:

<b>System</b>	CPU	Quad core cortex A17,1.8G,RK3288
	RAM	2GB
	Internal memory	16GB
	Operation system	Android 5.1 / 6.0 / 8.1
<b>Display</b>	Touch screen	Non Touch
	Panel	24"LCD full HD screen,LED backlight
	Resolution	1920*1080
	Active area	527.04(H)x296.46mm(V)
	Display mode	Normally back,IPS
	Viewing angles	89/89(H),89/89(V)
	Contrast ratio	1000
	Luminance	250cdm2
<b>Network</b>	Aspect Ratio	,16:9
	WiFi	802.11b/g/n
	3G dongle	3G USB dongle ext.
	Ethernet	100M/1000M Ethernet
<b>Interface</b>	Bluetooth	Bluetooth 4.0
	Card slot	SD,Support up to 32GB
	USB Device	Mini USB OTG
	USB Hostx2	USB Host 2.0
	Power Jack	DC power input
	RJ45	Ethernet
	HDMI	HDMI output
<b>Media plays</b>	Earphone	3.5mm earphone
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,RV etc.,support up to 1080p
	Audio format	MP3/WMA/AAC etc.
<b>Others</b>	Photo	jpeg
	Power consumption	35W
	Wall mounting	VESA,100x100mm
	Speaker	2*3W
	Language	Multi-language
	Working temp	0--40degree
	Certificates	CE/FCC/RoHS
<b>Accessories</b>	Adapter	Adapter,12V,4A
		User manual
		Adapter
		Stand

Product Measurement, mm								
Unit (without packaging)			Giftbox (With Packaging) <b>1pc</b>			Carton <b>5pc/ctn</b>		
L	W	H	L	W	H	L	W	H
580mm	32.5mm	375mm	655mm	115mm	455mm	670mm	250mm	480mm
Net(kg) 4.8			Net(kg) 6.5			Net(kg) 13		

G.W. 14

Next page Drawing

# PRODUCT SHEET

Android Display

24inch Android Non Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-2402AIO

## DRAWINGS

