

Art. EL-2703AIO-T series

ANDROID (non)TOUCH DISPLAYS

AVAILABLE SIZES: 7 - 8 - 10 - 14 - 15.6 - 18.5 - 21.5 - 24 -27 - 32 - 43 - 55inch



RETAIL BUSINESS Android Displays for use in a commercial environment. These displays have a rooted Android operating system and can be used for several solutions to inform and advise people in an attractive way, 24-7.

ONLINE MODELS

Often used in retail displays and built-in ShopDisplays or in Public environments.



TOUCH & PANEL

- 10 points capacitive touch
- Optional: non touch panel
- 27inch High Resolution Panel 1920x1080 pixels



ANDROID CHIP & OS VERSIONS

- RK3288 with Android OS 8 or 10
- RK3399 with Android OS 9, 10 and 12
- RK3568 with Android OS 11



ADDITIONAL FEATURES:

- PoE: Power over Ethernet (8 to 21.5inch)
- NFC & RFID (optional)
- Triggering: pushbuttons, sensors
- LED light: external lightstrips

Note:

There is no signage software installed, please provide your own software or we can provide dedicated signage software.

ANDROID ROOTED

All our models have Rooted Android. The OS system can be adjusted according your needs.

YOUR SOFTWARE

We can pre-install your software apps on the Android OS. We can also make your OS image custommade, with your startup logo.



Easy hangup system at backside (VESA Screw holes plate)



AutoStart by plug in power adapter



WIFI and LAN for internet connection (optional SIM USB dongle)





SOFTWARE OPTIONS

ADD: YOUR SOFTWARE

We can pre-install your software apps on the Android OS. We can also make your OS image custommade, with your startup logo.

ADD: SIGNAGE SOFTWARE

We can provide software apps on the Android OS. Find some suggestions below:

KIOWARE: Lockdown your website or your app (kiosk mode)

FULLY VIDEO: AutoStart App loop video from USB & Internal Memory

FULLY WEBSITE: Lockdown your website in full screen mode

ICHANNEL: Remote controlled pushed presentations with web-based control system (CMS). Create in the CMS presentations and schedule them, online.

ROOM & DESK SHARING: Roombooking and Desk Sharing software

Optional: add external Triggers & Sensors for Video Acti-

Customized Android displays to connect triggers for video & volume activation:

- Metal or plastic pushbuttons with lightring and symbol
- Touchless sensor buttons (wave your hand above the sensor)
- RFID Sensors for "Lift and Learn"
- · RFID Sensors for scanning a product with RFID sticker
- Motion detection sensors
- Light Sensors detection area



Optional: add (Interactive) LED Light strips and panels

Customized Android displays to connect LED lightning:

- LED strips or LED Panel Light up your product
- Light up a product during an activated video
- Light up a brand logo in a retail display
- Different colors available




SPECIFICATIONS:


		CPU				RK3399 Dual-core A72+quad-core A53					
Sv	stem	RAM					2GB Optional 4GB				
System		Internal memory				16GB Optional 32GB/64G					
		Operation system				Android 7.1/10.0					
		Touch screen				10-Point capacitive touch screen					
		Panel				27"LCD					
		Resolution				1920*1080					
		Display mode				Normally black					
Dis	splay	Viewing angles				85/85(H),85/85(V)					
		Contrast ratio				800					
		Luminance				250cdm2					
		Aspect Ratio				,16:9					
		WiFi				802.11a/b/g/n/ac					
Network		Ethernet				10M/100M/1000M					
		Bluetooth				Bluetooth 4.2					
		Card slot				SD,support up to 64GB					
		Mini USB				USBOTG					
		USB				USB Host 3.0					
		USB				USB host 2.0					
Interface		Power Jack				DC power input					
		RJ45				Ethernet interface					
		HDMI				HDMI output					
		Earphone				3.5mm earphone					
Media plays		Video format				MPEG-1,MPEG-2,MPEG-4,H.265,H.264,VC-1,VP8,VP9, etc.,support up to 4K					
		Audio format				MP2G-1,WP2G-2,WP2G-2,WP2G-4, 11.203, 11.204, VC-1, VP0, VP3, etc., support up to 4K					
		Photo									
		VESA				jpeg					
						SINGLE MICROPHONE					
Other		Microphone				2*3W					
		Speaker									
		Language				Multi-language					
		Working temp				040degree CE/FCC					
		Certificates									
		Camera				Routine angle 5.0 MP					
Accessories		User manual				yes					
		Adapter				12V,4A					
		Stand				yes					
	leasuremen	t mm		1		1	1		1		
	out packagin				Carton2pc			1			
L	W W	g) H		W W) Н			н	-		
L	vv	н	L	VV	н	L	V	Н Н	4		
- 4(1)	l		N1 - 4(1	l		Nut	l	+	4		
et(kg)	kg		Net(kg)	kg		Net	kg kg		4		
						G.W	lka	1			







DRAWING:









OTHER MODEL TYPES

OPEN FRAME



NARROW BEZEL



STRETCHED LCD



ROOM BOOKING



Constants with (

DESK SHAPE



HEALTH CARE



FLOOR KIOSK



HANGING LCD

