

## PRODUCT SHEET

### 13.3inch OpenFrame Monitor

ArtNr: AC-133OF-HDMI-IPS

OpenFrame Monitor

#### MAIN FEATURES:

- AutoStart by plug in power-adapter
- HDMI input portal
- 13.3 inch LCD panel 1600\*900 pixels
- Plastic Housing for built-in purpose
- Thin housing
- Power adapter with 2.5meter cable
- Usage up to 14 hours per day
- Optional:
  - VGA/DVI input
  - Internal HD videoplayer 1080P
  - Internal Speakers
  - 3.5mm Jack output



#### MAIN PURPOSE:

- Connect an external player, like a PC computer or mediaplayer for f.i. Digital Signage Display /Advertisement Display
- Built-in ShopDisplays

#### USAGE:

This Monitor can be easily used for built-in a display. Just connect the HDMI and play. The mainboard can optionally come with extra in-outputs for interactivity, see the options below.



#### OPTIONAL: Multi Functions

The mainboard can be turned into a multi-functionboard, several in-outputs can be added, and software can be made Tailormade. Example features:

- Trigger buttons for selection video / volume combined with LED lighting
- Output for LED lightning 5/12V
- Motion Sensor / Tilt-up light Sensor
- Multiple Audio Outputs for speakers & headphones
- Input Audio for Mobile phone / iPod (auto-sensing)
- Touchscreen



=> find more about the options below in this productsheet.



Next pages:  
Additional features  
technical specs and drawing

**13.3inch Open Frame Monitor**

ArtNr: AC-133OF-HDMI-IPS

**TECHNICAL SPECIFICATIONS**

Display	Panel	13.3inch LCD Monitor
	Shell	Open Frame - for built-in purpose
	Resolution	1600*900
	Contrast ratio	500:1
	Brightness	300cdm <sup>2</sup>
	Viewing angles:	80/80/80/80(L/R/U/D)
	Aspect Ratio	16:9
Interface	HDMI	HDMI IN portal
	Power Jack	DC 12V/1.5A power input
	Head phone	3.5mm Jack output (optional)
Sound System	Speaker	2x2W/8Ω internal speakers (optional)
Standard Functions	AutoStart	AUTO Start
Optional functions	Trigger Buttons	Push- and Touchbuttons, Press&Turn button
	Sensors	Motion sensor or Lift sensor to activate videos
	Speakers	External Speakers
	Batterybox	8D-Cell Batterybox for battery operated power
	Audio out	Multiple Jacks 3.5 / Coax / Digital Sound
	Jack Input	Jack Input for mobile phone / mp3-player sound
	Software	Software adjustments for your needs
	LED	LED strips, LED light pads
	Output Voltage	(multiple) Output 12V (5V), f.i. for LED lighting
	Touchscreen	Transistive TouchScreen
Others	Accessories:	Power Adapter, (optional Remote Control)
	Color:	Black Housing

# PRODUCT SHEET

OpenFrame Monitor

## 13.3inch Open Frame Monitor

ArtNr: AC-133OF-HDMI-IPS

### DRAWING

