

# PRODUCT SHEET

## OpenFrame Monitor

### 15.6 INCH OpenFrame Monitor IPS

ArtNr: AC-156OF-HDMI-IPS

#### MAIN FEATURES:

- AutoStart by plug in power-adapter
- HDMI input portal
- 15.6inch LCD panel 1920 x 1080 pixels
- Plastic Housing for built-in purpose
- Thin housing
- Power adapter with 2.5meter cable
- Usage up to 14 hours per day
- Optional:
  - VGA/DVI input
  - Internal HD videoplayer 1080P
  - Internal Speakers
  - 3.5mm Jack output




#### MAIN PURPOSE:

- Connect an external player, like a PC computer or media player for f.i. Digital Signage Display / Advertisement Display
- Built-in ShopDisplays



#### USAGE:

This Monitor can be easily used for built-in a display. Just connect the HDMI and play. The mainboard can optionally come with extra in-outputs for interactivity, see the options below.



#### OPTIONAL: MULTI FUNCTIONS

The mainboard can be turned into a multi-functionboard, several in-outputs can be added, and software can be made Tailormade. Example features:

- Trigger buttons for selection video / volume combined with LED lighting
- Output for LED lightning 5/12V
- Motion Sensor / light Sensor
- Multiple Audio Outputs for speakers & headphones
- Input Audio for Mobile phone / iPod (auto-sensing)
- Touchscreen



find more about the options below in this productsheet.



Next pages: technical specs and drawing

*All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.*

PRODUCT SHEET

15.6 INCH OpenFrame Monitor IPS

ArtNr: AC-156OF-HDMI-IPS

OpenFrame Monitor

SPECIFICATIONS:




Specifications:	Panel	15.6inch LCD Monitor
	Shell	Plastic Open Frame
	Resolution	1920 x 1080
	Contrast Ratio	700:1
	Luminance	220cd m2
Interface:	Viewing Angles	85/85/85/85 (H/V)
	Aspect Ratio	16:9
	HDMI	HDMI IN Portal
Sound System:	Power Jack	DC 12V/1.5 power input
	Head Phone	3.5mm Jack Output (optional)
	Speaker	2x2W
Standard Functions:	AutoStart	AUTO Start
	Trigger Buttons	Push- and Touchbuttons, Press&Turn button
	Sensors	Motion sensor or Lift sensor to activate videos
Optional Functions:	Speakers	External Speakers
	Batterybox	8D-Cell Batterybox for battery ioperated power
	Audio out	Multiple Jack 3.5 / Coax / Digital Sound
	Jack Input	Jack Input for mobile phone / mp3-player sound
	Software	Software adjustments for your needs
	LED	LED Strips, LED Light Pads
	Output Voltage	(multiple) Output 12V (5V), f.i. for LED lighting
	Touchscreen	Transistive TouchScreen
Other:	Accessories: Adapter, Remote Control	Color: Black Housing

Product Measurement, mm								
Unit (without packaging)			Giftbox (With Packaging) <b>1pc</b>			Carton <b>5pc/ctn G.W. 15.4 kg</b>		
L	W	H	L	W	H	L	W	H
653 mm	32.5 mm	420 mm	725 mm	115mm	490 mm	740 mm	250 mm	515 mm
Net(kg) 5.2			Net(kg) 7.1			Net(kg) 14.2		

ArtNr: AC-156OF-HDMI-IPS

# OpenFrame Monitor

## DRAWINGS



# PRODUCT SHEET

## 15.6 INCH OpenFrame Monitor IPS


ArtNr: AC-156OF-HDMI-IPS

## OpenFrame Monitor

### Additional Features for our MediaScreens with a Multi-Function board

We can add extra features to the Multi-functionboard which are inside some of our Mediascreens. See the features below. Our engineers can develop the function custommade against your needs.


Very usefull for Instore Display Building!



#### TRIGGER BUTTONS for activate sound / video / volume / light



external press-buttons  
+ external cable



external Press and Turn button  
+ external cable



capacitive touch buttons + external cables  
(can be put under 3mm glass plate)



LED Light Pads




LED Light Strips




Customized Membrane  
press touch pad



Motion sensor



TouchScreen



Input Jack for Mobile Phone Sound



All kind of brackets



External Speakers



External 8D-cell batterybox