

PRODUCT SHEET


ATMOS SOUNDBAR TESTER

Dolby ATMOS Soundbar (4x HDMI) demonstrator + 4K Video

ArtNr: AC-4KMP-ATMOS-1508-V4-PWR-V17-4xHDMI-2.0

MAIN FEATURES:

- ATMOS DOLBY sound support
- Demonstrate by push one of the buttons to select a Soundbar (+Subwoofer)
- Supports: 4x HDMI OUT or in combination with SPDIF Digital sound. Select soundbar and play corresponding video.
- Press again and play next video
- Press other soundbar button: Seamless audio transfer from Soundbar to other soundbar. Video is remaining playing.
- AutoStart & Play
- Volume up and down buttons
- Mute system with one button
- Software included
- Optional: add LED strips to lighten up the selected Soundbar + Subwoofer



MAIN PURPOSE:

With this device you can test 4x Soundbars with HDMI output which supports Dolby ATMOS sound and 4K video. It also supports 3x Optical sound Out. Which means you can combine different types of Soundbars. Connect this device via your soundbar to an LCD Screen by HDMI Cable.

Connect the press buttons for selecting: play and next function. Press another selection button to play the sound over an other soundbar, and the sound of the current playing video will be transferred immediately to this soundbar and the current video still continuous on the LC screen.

It works all AutoStart and Play, retail-proof.

OPTIONAL:

- LED light strips, to put under your soundbar, to light up when you select a soundbar to indicate that soundbar is playing currently.
- Pushbuttons are in many shapes and material available. Check our Assortment Push & Triggerbuttons on our website.



Next pages: technical specs and measurements

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

PRODUCT SHEET

ATMOS SOUNDBAR TESTER

Dolby ATMOS Soundbar (4x HDMI) demonstrator + 4K Video

ArtNr: AC-4KMP-ATMOS-1508-V4-PWR-V17-4xHDMI-2.0

Specifications:

Operating System	Android 6.0.1 - AutoStart
CPU	Quad Core ARM Cortext-A53 up to 1.6GHz
GPU	Octa Core Mali 450, Open GL ES 1.1&2.0
Graphic	Support Graphic Accelerator
RAM	512MB DDR3
EMMC Flash	4GB
WI-FI	802.11 b/g/n
External Storage	USB 2.0, USB Mirco (otg), TF Card (Up to 32GB)
Interface	4x HDMI OUT 3x Digital Out 8x JST pushbutton in DC IN WIFI Antenna USB
Power	AC/DC 12V-1.5A
Language	Multi-Languages
Video Decoding	MPEG 1 1/2/4, DivX/Xvid, H.263, H.264, VC-1, WMV3, RMVB 8/9/10, M-JPEG, H.265HEVMP-10.VP9.
Audio Decoding	Dolby Atmos, PCM, AAC/AAC+, WMA, MPEG Audio, Vorbis, Real Audio, Flac
HDMI OUT	up to 4K x 2K@60fps
Bluetooth	Optional
Color Housing	Black Metal Housing
Size	(L)200×(W)131×(H)28mm

Product Measurement, mm					
Unit (without packaging)			Carton Packaging		
L	W	H	L	W	H
200	131	28			
Net(kg): approx. 800gram			Net(kg)		



All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

PRODUCT SHEET

ATMOS SOUNDBAR TESTER

Dolby ATMOS Soundbar (4x HDMI) demonstrator + 4K Video

ArtNr: AC-4KMP-ATMOS-1508-V4-PWR-V17-4xHDMI-2.0

Drawing:

