



Highlights

1920*1080 Full-HD resolution, 3840*2160 UHD resolution option

2500~3000~3500nits high brightness for sunlight readable

High Tni industrial screen, 105 degree

Semi-outdoor application

178 degree wide angle view

With simple HDMI plug, option Android operating system

Super slim design, the thickness only 85.3mm, which makes space efficiency in an in-window application

Built-in smart brightness sensor, could adjust backlight brightness according to be ambient brightness to save power energy, and make the client feels comfortable

With VESA hole in the back, easy for fixed (ceiling mounted or wall-mounted or floor-standing)

Specifically designed for digital store

Grab attention as the first major touchpoint of your store, the window!

With 2500~3500nits high brightness to attract promising customers

Reliably providing 24/7 operation in all conditions offering unparalleled visual clarity, superior contrast and high brightness in tough conditions

Our outdoor advertising players built-in android or windows or linux operating system, with powerful CPU and graphics processor, this enable you to handle more demanding graphics in turn delivering more attractive and immersive message

Our digital display are available in sizes from 32inch to 86inch, The displays provide easy user interactivity through audio, video, touchscreen and other accessibility options. Our displays provide vibrant, animated video information and user interaction for a wide range of industries and uses.

Case story



Specifications**TFT Panel**

Model No.	AV-ID320WD	AV-ID430WD	AV-ID490WD	AV-ID550WD
Panel size	32inch	43inch	49inch	55inch
Active screen size(H)*(V)mm	697*392	941*529	1074*604	1209.6*680.4
Monitor dimension (H*V*D)mm	739*433*80	980*568*85	1114*644*80	1250*721*80
Maximum resolution	1920*1080			1920*1080 or 3840*2160
Display color	16.7M			
Brightness (nits)	2500nits	3000nits-3500nits		
Contrast	1200:1	1200:1	1200:1	1200:1
Visual angle	178°/178°			
Response time	6ms			
Life(hrs)	>60,000(hrs)			
Orientation	Landscape & Portrait			
Output	Audio out			
External control	IR Receiver, auto-dimming sensor			
Interface	HDMI input			

System (option)

Operating system	Android
RAM	2G
ROM	32G
Interface	USB, LAN

Appearance

Bezel color	Black, customized			
Bezel width	15.0mm (T/B/L/R)			
Weight	15kg	25kg	29kg	32kg
VESA standard mount interface	300*300mm 4*M8	400*300mm 4*M8	400*400mm 4*M8	400*400mm 4*M8
Special features	Temperature sensor, auto brightness sensor, silence fans cooling source selection			
Installation	Floor-standing or ceiling mounted or wall-mounted			

Electricity

Power supply	AC100~240V 50 /60 HZ			
Power consumption (Max)	160W	260W	260W	400W

Temperature

Working temperature	0°C ~ 45°C
Storage temperature	-10°C~50°C
Working humidity	10%~80%
Storage humidity	10%~80%

Specifications

TFT Panel

Model No.	AV-ID650WD	AV-ID750WD	AV-ID860WD
Panel size	65inch	75inch	86inch
Active screen size(H)*(V)mm	1428.48*803.52	1649.66*927.93	1895*1066
Monitor dimension (H*V*D)mm	1468.6*843.6*80	1689.6*968.0*90.0	1935*1106*90mm
Maximum resolution	1920*1080 (3840*2160 option)		
Display color	16.7M		
Brightness (nits)	3000nits		
Contrast	1200:1	1200:1	1200:1
Visual angle	178°/178°		
Response time	6ms		
Life(hrs)	>60,000(hrs)		
Orientation	Landscape & Portrait		
Output	Audio out		
External control	IR Receiver, auto-dimming sensor		
Interface	HDMI input		

System (option)

Operating system	Android		
RAM	2G		
ROM	32G		
Interface	USB, LAN		

Appearance

Bezel color	Black, customized		
Bezel width	15.0mm (T/B/L/R)		
Weight	40kg	48kg	68kg
VESA standard mount interface	400*400mm 4*M8	400*400mm 4*M8	400*600mm 4*M8
Special features	Temperature sensor, auto brightness sensor, silence fans cooling source selection		
Installation	Floor-standing or ceiling mounted or wall-mounted		

Electricity

Power supply	AC100~240V 50 /60 HZ		
Power consumption (Typ/Max)	570W	660W	960W



Temperature

Working temperature	0°C ~ 45°C		
Storage temperature	-10°C~50°C		
Working humidity	10%~80%		
Storage humidity	10%~80%		

Drawing



32inch:

43inch:



49inch:


55inch:



Drawing

65inch:

75inch:



86inch:

