Art. EL-1022AIO-T series

ANDROID (non)TOUCH **DISPLAYS**

AVAILABLE SIZES: 7 - 8 - 10 - 11.6 - 13.3 - 14 - 15.6 18.5 - 21.5 - 24 - 27 - 32 - 43 - 55inch



RETAIL **BUSINESS**

Android Displays for use in a commercial environment. These displays have a rooted Android operating system and can be used for several solutions to inform and advise people in an attractive way, 24-7.

ONLINE MODELS

Often used in retail displays and built-in ShopDisplays or in Public environments.



TOUCH & PANEL

- 10 points capacitive touch
- Optional: non touch panel
- 10.1" High Resolution Panel 1280x800 pixels
- 24-7 Usage



ANDROID CHIP & OS VERSIONS

- RK3288 with Android OS 8 or 10
- RK3399 with Android OS 9, 10 and 12
- RK3366 / RK3368 with Android OS 11



ADDITIONAL FEATURES:

- PoE: Power over Ethernet (8 to 21.5inch)
- NFC & RFID (optional)
- Triggering: pushbuttons, sensors
- LED light: external lightstrips

Note:

There is no signage software installed, please provide your own software or we can provide dedicated signage software.

ANDROID ROOTED

All our models have Rooted Android. The OS system can be adjusted according your needs.

YOUR SOFTWARE

We can pre-install your software apps on the Android OS. We can also make your OS image custommade, with your startup logo.



Easy hangup system at backside (VESA Screw holes plate)



AutoStart by plug in power adapter



WIFI and LAN for internet connection (optional SIM USB dongle)



ANDROID OS

SOFTWARE OPTIONS

ADD: YOUR SOFTWARE

We can pre-install your software apps on the Android OS. We can also make your OS image custommade, with your startup logo.

ADD: SIGNAGE SOFTWARE

We can provide software apps on the Android OS. Find some suggestions below:

KIOWARE: Lockdown your website or your app (kiosk mode)

FULLY VIDEO: AutoStart App loop video from USB & Internal Memory

FULLY WEBSITE: Lockdown your website in full screen mode

SIGN CONTROLL: Remote controlled pushed presentations with web-based control system (CMS). Create in the CMS presentations and schedule them, online.

ROOM & DESK SHARING: Roombooking and Desk Sharing software

Optional: add external Triggers & Sensors for Video Acti-

Customized Android displays to connect triggers for video & volume activation:

- Metal or plastic pushbuttons with lightring and symbol
- · Touchless sensor buttons (wave your hand above the sensor)
- · RFID Sensors for "Lift and Learn"
- · RFID Sensors for scanning a product with RFID sticker
- · Motion detection sensors
- Light Sensors detection area



Optional: add (Interactive) LED Light strips and panels

Customized Android displays to connect LED lightning:

- · LED strips or LED Panel Light up your product
- · Light up a product during an activated video
- · Light up a brand logo in a retail display
- · Different colors available



SPECIFICATIONS:

RAM	Internal memory 16GB Operation system Android 8.1/10 Ope	System	CPU	Quad core cortex A17,1.8G,RK3288				
Interface Inte	Interface Inte		RAM	2GB				
Touch screen	Touch screen 10-Point capacitive touch		Internal memory	16GB				
Panel	Panel		Operation system	Android 8.1/10				
Resolution	Resolution		Touch screen	10-Point capacitive touch				
Active area 216.96(H)x135.6mm(V)	Active area 216.96(H)x135.6mm(V)		Panel	10.1"LCD IPS panel				
Display mode	Display Display mode Normally black, IPS		Resolution	1280*800				
Viewing angle 85/85/85/85(L/R/U/D)	Viewing angle		Active area	216.96(H)x135.6mm(V)				
Viewing angle 85/85/85/85(L/R/U/D)	Viewing angle	D: 1	Display mode					
Contrast ratio 800 Luminance 250cd/m2 Aspect Ratio 16:10 Network Ethernet 10M/100M ethernet Buletooth Bluetooth 10 Buletooth Bluetooth 10 USB USB Host USB USB Serial port Micro USB Micro USB OTG HDMI HDMI output R45 with POE R45 POE IEEE802.3at POE IEEE802.3at Pone 3.5mm earphone emicphone Earphone 3.5mm earphone emicphone Media play Video format MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Media play Video format MPSG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Media play Video format MPSG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Media play Video format MPSG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Media play Video format MPSG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Media play Video format <	Contrast ratio 800	Display		85/85/85/85(L/R/U/D)				
Network MiFi 802.11b/g/n	Aspect Ratio			800				
Network Aspect Ratio 16:10 802.11b/g/n	Aspect Ratio		Luminance					
Network	WiFi 802.11b/g/n		Aspect Ratio					
Network Ethernet 10M/100M ethernet Buletooth Bluetooth 4.0 Card slot SD card USB USB Host USB Serial port Micro USB Micro USB OTG HDMI HDMI output RI4S with POE RI4S POE IEEE802.3at Power jack DC power input Earphone 3.5mm earphone +micphone Media play Video format MPSG-3,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Media play Audio format MP3/WMA/AAC etc. Photo jpeg Battery 5000mah/3.7V(Optional) VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter, 12V/1.5A	Network Ethernet 10M/100M ethernet Buletooth Bluetooth 4.0 Lard slot SD card USB USB Host USB Serial port Micro USB Micro USB OTG HDMI HDMI output R45 with POE R45 POE IEEE802.3at Power jack DC power input Earphone 3.5mm earphone +micphone Media play Video format MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Media play Audio format MP3,VMMA/AAC etc. Photo jpeg Battery S000mah/3.7V(Optional) VESA 75x75mm VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter, 12V/1.5A Accessories Ves							
Buletooth Bluetooth 4.0	Buletooth	Network						
Marcol M	Card slot							
USB	USB							
Nicro USB	USB							
Micro USB Micro USB OTG HDMI	Micro USB							
HDMI	HDMI							
RJ45 with POE RJ45 POE IEEE802.3at Power jack DC power input Earphone 3.5mm earphone +micphone Video format MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Media play Audio format MP3/WMA/AAC etc. Photo jpeg Battery 5000mah/3.7V(Optional) VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A	RJ45 with POE RJ45 POE IEEE802.3at Power jack DC power input Earphone 3.5mm earphone +micphone Video format MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Audio format MP3/WMA/AAC etc. Photo jpeg Battery 5000mah/3.7V(Optional) VESA 75x75mm VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A User manual yes Ves Ves User manual Yes Ves Ves Ves Ves Ves Ves Ves Ves Ves Ves Ves Ves Ves Ves Ves Ves Ve	Interface						
POE IEEE802.3at Power jack DC power input Earphone 3.5mm earphone +micphone Media play Video format MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Photo jpeg Battery 5000mah/3.7V(Optional) VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A	POE IEEE802.3at Power jack DC power input Earphone 3.5mm earphone +micphone Video format MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Audio format MP3/WMA/AAC etc. Photo jpeg Battery 5000mah/3.7V(Optional) VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A User manual Yes Ves Ves User manual Ves Ves Ves Ves Ves Ves Ves Ve	interruce						
Power jack DC power input	Power jack DC power input							
Earphone 3.5mm earphone +micphone Media play Video format MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Media play Audio format MP3/WMA/AAC etc. Photo jpeg Battery 5000mah/3.7V(Optional) VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Ianguage Multi-language Adapter Adapter, 12V/1.5A	Earphone 3.5mm earphone +micphone							
Media play Video format MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Audio format MP3/WMA/AAC etc. Photo jpeg Battery 5000mah/3.7V(Optional) VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Ianguage Multi-language Adapter Adapter,12V/1.5A	Media play Video format MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K Audio format MP3/WMA/AAC etc. Photo jpeg Battery 5000mah/3.7V(Optional) VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A User manual yes							
Media play Audio format MP3/WMA/AAC etc. Photo jpeg Battery 5000mah/3.7V(Optional) VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A	Media play Audio format Photo MP3/WMA/AAC etc. Photo jpeg Battery 5000mah/3.7V(Optional) VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A User manual yes							
Photo jpeg Battery 5000mah/3.7V(Optional) VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A	Photo jpeg Battery 5000mah/3.7V(Optional) VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A User manual yes	Madia play						
Sattery S000mah/3.7V(Optional)	Accessories Battery 5000mah/3.7V(Optional) VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A User manual yes	wedia piay						
Other VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A	Other VESA 75x75mm Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A User manual yes							
Other Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A	Other Speaker 2*1.5W Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A User manual yes	Other						
Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A	Other Camera 2.0M/P,Front camera MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A Veer manual yes							
MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A	MIC Built-in MIC Language Multi-language Adapter Adapter,12V/1.5A Accessories User manual yes							
Language Multi-language Adapter Adapter,12V/1.5A	Language Multi-language Adapter Adapter,12V/1.5A User manual yes							
Adapter Adapter,12V/1.5A	Adapter Adapter,12V/1.5A User manual yes							
	Accessories User manual yes							
Accessories User manual yes								
	adust Messurement mm	Accessories	User manual	yes				
	duct Massurement, mm							

Unit (Without packaging)			Giftbox (V	Vith Packa	aging)	Carton 5pcs/CTN		
L	W	Н	L	W	Н	L	W	I
255	172	29	398	68	223	416	358	243
Net(kg)	0.7kg		Net(kg)			Net		
						G.W		








ANDROID OS

DRAWING:



ANDROID OS

OTHER MODEL TYPES

OPEN FRAME



STRETCHED LCD



ROOM BOOKING



FLOOR KIOSK



NARROW BEZEL



DESK SHAPE





HEALTH CARE



HANGING LCD

