

Art. EL-1028AIO-T series

ANDROID (non)TOUCH DISPLAYS

AVAILABLE SIZES: 7 - 8 - 10 - 11.6 - 13.3 - 14 - 15.6 18.5 - 21.5 - 24 - 27 - 32 - 43 - 55inch



RETAIL BUSINESS

Android Displays for use in a commercial environment. These displays have a rooted Android operating system and can be used for several solutions to inform and advise people in an attractive way, 24-7.

ONLINE MODELS

Often used in retail displays and built-in ShopDisplays or in Public environments.



TOUCH & PANEL

- 10 points capacitive touch
- Optional: non touch panel
- 10.1" High Resolution Panel 1280x800 pixels
- 24-7 Usage



ANDROID CHIP & OS VERSIONS

- RK3288 with Android OS 8 or 10
- RK3399 with Android OS 9, 10 and 12
- RK3568 with Android OS 11



ADDITIONAL FEATURES:

- PoE: Power over Ethernet (8 to 21.5inch)
- NFC & RFID (optional)
- Triggering: pushbuttons, sensors
- LED light: external lightstrips

Note:

There is no signage software installed, please provide your own software or we can provide dedicated signage software.

ANDROID ROOTED

All our models have Rooted Android. The OS system can be adjusted according your needs.

YOUR SOFTWARE

We can pre-install your software apps on the Android OS. We can also make your OS image custommade, with your startup logo.



Easy hangup system at backside (VESA Screw holes plate)



AutoStart by plug in power adapter



WIFI and LAN for internet connection (optional SIM USB dongle)





ANDROID OS

SOFTWARE OPTIONS

ADD: YOUR SOFTWARE

We can pre-install your software apps on the Android OS. We can also make your OS image custommade, with your startup logo.

ADD: SIGNAGE SOFTWARE

We can provide software apps on the Android OS. Find some suggestions below:

KIOWARE: Lockdown your website or your app (kiosk mode)

FULLY VIDEO: AutoStart App loop video from USB & Internal Memory

FULLY WEBSITE: Lockdown your website in full screen mode

iCHANNEL: Remote controlled pushed presentations with web-based control system (CMS). Create in the CMS presentations and schedule them, online.

ROOM & DESK SHARING: Roombooking and Desk Sharing software

Optional: add external Triggers & Sensors for Video Acti-

Customized Android displays to connect triggers for video & volume activation:

- Metal or plastic pushbuttons with lightring and symbol
- Touchless sensor buttons (wave your hand above the sensor)
- RFID Sensors for "Lift and Learn"
- · RFID Sensors for scanning a product with RFID sticker
- Motion detection sensors
- Light Sensors detection area



Optional: add (Interactive) LED Light strips and panels

Customized Android displays to connect LED lightning:

- LED strips or LED Panel Light up your product
- Light up a product during an activated video
- Light up a brand logo in a retail display
- Different colors available



SPECIFICATIONS:

		CPU					RK3568 Quad core cortex A55					
System		RAM				2GB	2GB Optional 4GB					
Sys	stem	Internal memory				16GB	16GB Optional 32GB/64G					
		Operation system				Android 11						
		Touch screen				10-Point	10-Point capacitive touch					
		Panel				10.1"LCD panel						
		Resolution				1280*800						
		Display mode				Normally black						
Dis	play	Viewing angle				85/85/85/(LR/U/D)						
		Contrast ratio										
		Luminance				250cd/m2						
		Aspect Ratio				16:10						
		WiFi					802.11 b/g/n					
Netv	work	Ethernet				100M/1000M ethernet						
		Buletooth				Bluetooth 4.0						
		Card slot				SD card,Max Support to 64GB						
		USB					USB 2.0 host					
		USB					USB 3.0 host					
		USB					USB for serial (TTL Level)					
Interface	rface	Micro USB				Micro USB OTG						
		HDMI				HDMI output						
		RJ45				Ethernet interface (POE function Standard IEEE802.3at,POE+,class 4, 25.5W)						
		Power jack				DC power input						
		Earphone					3.5mm earphone out with micphone in					
		Video format				MPEG-1,MPEG-2,MPEG-4,H.265,H.264,VC-1,VP8,VP9, etc.,support up to 4K						
Media	Media play		Audio format				MP3/WMA/AAC etc.					
		Photo				jpeg/png						
			Battery				Optional 5000mAh					
			VESA				75x75mm					
Other		Speaker					2*2W					
		Camera					Routine angle 5.0MP					
		Microphone				Single micphone						
		Language				Multi-language						
		Adapter				Adapter, 12V/1.5A						
Acces	ssories	User manu	al	Ves								
AUUUS	301103											
Product M	leasuremei	nt, mm										
Unit (Withou	out packagir	ng)					Carton 5pcs/CTN					
Ĺ	Ŵ	ĬН	L	W	Н	L	w	н				
Net(kg)	kg	· · · · · · · · · · · · · · · · · · ·	Net(kg)	kg		Net	KG					
						G.W						






ANDROID OS

DRAWING:





ANDROID OS

OTHER MODEL TYPES

OPEN FRAME



NARROW BEZEL



STRETCHED LCD



ROOM BOOKING



Constants with (

DESK SHAPE



HEALTH CARE



FLOOR KIOSK



HANGING LCD

