PRODUCT SHEET

Android Counter Display

13.3inch Android Display Touch - OS8.1 - RK3288
ArtNr: EL-1312AIO-T-CD

MAIN FEATURES:

- Capacitive touchscreen
- LCD panel 1920x1080 pixels
- Internal HD videoplayer 1080P
- CounterStand
- Rooted Android OS5.1/6.0/8.1
- Chip RK3288
- Internet access by WIFI + LAN (opt. 3G)
- Internal Speakers 2 x 1 W
- 3.5mm Jack output
- Thin housing
- USB host
- Power adapter with 3meter cable
- Usage up to 24 hours per day

MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 7 / 10.1 / 15.6 / 17.3inch.
- Non Touch
- NFC RFID
- Internal Battery
- PoE Function

Internet access by:

Wi-Fi | LAN-RJ45 | OPTIONAL 3G/4G BY USB Sim Dongle 3G | Optional NFC

Next pages: technical specs and drawing

PRODUCT SHEET

Android Counter Display

13.3inch Android Display Touch - OS8.1 - RK3288
ArtNr: EL-1312AIO-T-CD

SPECIFICATIONS:

System	CPU	Quad core cortex A17,1.8G,RK3288
	RAM	2GB
	Internal memory	16GB
	Operation system	Android 8.1
	Touch screen	10-Point capacitive touch
Display	Panel	13.3"LCD IPS panel
	Resolution	1920*1080
	Active area	293.76(H)x165.24mm(V)
	Display mode	Normally black ,IPS
	Viewing angle	85/85/85/85(L/R/U/D)
	Contrast ratio	800
	Luminance	250cd/m2
	Aspect Ratio	,16:9
Network	WiFi	802.11b/g/n
	Ethernet	100M/1000M ethernet
	Buletooth	Bluetooth 4.0
Interface	Card slot	TF card
	USB x 2	USB Host
	Micro USB	Micro USB OTG
	HDMI	HDMI output, support 4K
	RJ45	RJ45
	Serial port	USB for serial port,RS232
	Power jack	DC power input
	Earphone	3.5mm earphone
Media play	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4Kx2K
	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
Other	Battery	Optional
	NFC	Optional, NFC 13.56MHz, ISO14443A/ISO14443B/ISO 15693/Mifare classic/Sony felica
	Speaker	2*1W
	Camera	2.0M/P,Front camera
	MIC	Built-in MIC
	Power consumption	15W
	Language	Multi-language
Accessories	Adapter	Adapter,12V/1.5A
	User manual	yes

Product Measurement, mm

Unit (Without packaging)			Giftbox (With Packaging)			Carton 4 pcs/CTN		
L	W	H	L	W	H	L	W	H
329.16mm	205.96mm	115.97mm	393mm	270mm	138mm	570mm	408mm	290mm
Net(kg)	0.97kg		Net(kg)	1.78kg		Net	2.57kg	
						G.W		

PRODUCT SHEET   Android Counter Display

13.3inch Android Display Touch - OS8.1 - RK3288
ArtNr: EL-1312AIO-T-CD

DRAWINGS:

10.74mm

210.28mm

12.19mm

16.35mm

115.97mm

Front Camera   NFC

329.16mm

294.3mm

198.5mm

155.9mm

70°

Power

Speaker   Speaker

Serial port   Micro USB

USB   HDMI

RJ45   USB   Earphone   DC In

TF Card