PRODUCT SHEET

Android Display

15.6inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-1563AIO-T

MAIN FEATURES:

- AutoStart by plug in power-adapter
- LCD panel 1920x1080 pixels
- 10 points Capacitive Touchscreen
- Internal HD videoplaver 1080P
- Rooted Android 7.1 / 9.0 RK3399
- Internet access by WIFI / LAN (opt, 3G)
- Internal Speakers 2x2 W
- 3.5mm Jack output
- Thin housing
- Remote Control
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- Screw Holes for hangup / built-in
- Optional: PoE function'



- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android operating system and comes with a capacitive touch front layer. This professional display can be used for several solutions to inform / advise people in an attractive way.

SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 14 / 15.6 / 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup.



























Internet access by:











Next pages: technical specs and drawing

15.6inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-1563AIO-T

SPECIFICATIONS:

System	CPU	Dual-core A72+quad-core A53,2.0G,RK3399		
	RAM	2GB		
	Internal memory	16GB		
	Operation System	Android 7.1 / 9.0		
	Touch Screen	10-Point capacitive touch		
	Panel	Full HD 15.6"LCD panel,IPS		
	Resolution	1920*1080		
	Active area	344.16(H)x193.59mm(V)		
DiI	Viewing angle	85/85/85/85(L/R/U/D)		
Display	Display mode	Normally black,IPS		
	Contrast ratio	700		
	Luminance	250cdm2		
	Aspect Ratio	,16:9		
	WiFi	802.11b/g/n/ac,2.4G+5G		
	3G dongle	3G USB dongle ext.		
Network	Ethernet	100M/1000M Ethernet		
	Bluetooth	Bluetooth 4.0		
	Card slot	SD,Support up to 32GB		
	USB Device	Mini USB OTG		
	USB Hostx3	USB Host 2.0		
Interface	Power Jack	DC power input		
	RJ45	Ethernet		
	HDMI	HDMI output		
	Earphone	3.5mm earphone		
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p		
Media plays	Audio format	MP3/WMA/AAC etc.		
	Photo	ipeg		
	Wall mounting bracket	100mm*100mm wall mounting		
	Speaker	2*2W		
	Camera	2.0M/P,Front camera		
Other	Micphone	yes		
	Language	Multi-language		
	Working temp	040 degree		
	Certificates	CE/FCC/RoHS		
Accessories	Adapter	Adapter,12V/3A		
	User manual	yes		

Product Measurement, mm											
Unit (without packaging)			Giftbox (With Packaging) 1pc			Carton 5pc/ctn					
L	W	Н	L	W	Н	L	W	Н			
388mm	245mm	27mm	485mm	85mm	295mm	490mm	360mm	313mm			
Net(kg) 1.3			Net(kg) 2.2			Net(kg) 8.8					

G.W. 9.8

15.6inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-1563AIO-T

DRAWINGS

