### PRODUCT SHEET

### Android Display

## 17,3inch Android Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-1732AIO-T

#### MAIN FEATURES:

- Touch Screen
- AutoStart by plug in power-adapter
- LCD panel 1920\*1080 pixels IPS
- Internal HD videoplayer 1080P
- Rooted Android 5.1 / 6.0 / 8.1 RK3288
- Internet access by WIFI /LAN (opt. 3G)
- Internal Speakers
- 3.5mm Jack output
- Thin housing
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- ScrewHoles for hangup / built-in
- Optional: PoE function'



- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

#### **USAGE:**

This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people on an attractive way.

#### SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

#### **OPTIONAL:**

- We can install your software on the devices for larger order quantities.
- Internal memory can be upgraded.
- Similar sizes available: 7 / 10 / 14 / 15.6 / 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup



























#### Internet access by:









Next pages: technical specs and drawing

# PRODUCT SHEET

## Android Display

# 17,3inch Android Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-1732AIO-T

#### **SPECIFICATIONS**

	CPU	Quad core cortex A17,1.8G,RK3288
System	RAM	2GB
	Internal memory	16GB
	Operation System	Android 5.1 / 6.0 / 8.1
	Touch Screen	10-Point capacitive touch
	Resolution	1920*1080
	Active area	381.89(H)x214.81mm(V)
	Viewing angle	85/85/85/85(L/R/U/D)
	Display mode	Normally black,IPS
	Contrast ratio	800
	Luminance	250cdm2(min)
	Aspect Ratio	,16:9
	WiFi	802.11b/g/n
Network	Ethernet	10M/100M Ethernet
	Bluetooth	Bluetooth 4.0
	Card slot	SD,Support up to 32GB
	USB Device	Mini USB OTG
	USB Hostx2	USB Host 2.0
Interface	Serial port	4P-2.0mm
interrace	Power Jack	DC power input
	RJ45	10M/100M ethernet
	HDMI	HDMI output
	Earphone	3.5mm earphone
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p
Media plays	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
Other	Wall mounting bracket	100mm*100mm wall mounting
	Power consumption	20W
	Speaker	2*2W
	Camera	2.0M/P,Front camera
	Language	Multi-language
	Adapter	Adapter,12V/3A
Accessories	User manual	yes

Product Measurement, mm									
Unit (without packaging)			Giftbox (With Packaging) 1pc			Carton 5pc/ctn			
L	W	Н	L	W	Н	L	W	Н	
			453	87	360	468	455	380	
Net(kg)		Net(kg) 1.52			Net(kg)				

G.W.

17,3inch Android Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-1732AIO-T

**DRAWINGS** 



