

PRODUCT SHEET

Android Counter Display

17.3inch Android Touch Display - OS6.0 - RK3368

ArtNr: EL-1733AIO-T-CD-BAT

MAIN FEATURES:

- Capacitive Touchscreen
- LCD panel 1920x1080 pixels
- Internal HD videoplayer 1080P
- CounterStand
- Rooted Android 6.0 / RK3368
- Internet access by WIFI + LAN (opt. 3G)
- Internal Speakers 2 x 1 W
- 3.5mm Jack output
- Thin housing
- USB host
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- Optional: PoE function



MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay



Internet access by:



USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 7 / 10.1 / 13.3 / 15.6inch.



Next pages: technical specs and drawing

PRODUCT SHEET

Android Counter Display

17.3inch Android Touch Display - OS6.0 - RK3368

ArtNr: EL-1733AIO-T-CD-BAT

SPECIFICATIONS:

System	CPU	RK3368,Octa-core cortex A53,1.5G
	RAM	1GB
	Internal memory	8GB
	Operation system	Android 6.0
	Touch screen	10-Point capacitive touch
Display	Panel	17.3"LCD IPS panel
	Resolution	1920*1080
	Active area	381.89(H)x214.81mm(V)
	Display mode	Normally black ,IPS
	Viewing angle	85/85/85/85(L/R/U/D)
	Contrast ratio	800
	Luminance	250cd/m2
	Aspect Ratio	,16:9
Network	WiFi	802.11b/g/n
	Ethernet	10M/100M ethernet
	Buletooth	Bluetooth 4.0
Interface	Card slot	TF card
	USB x 2	USB Host
	Micro USB	Micro USB OTG
	HDMI	HDMI output
	RJ45	RJ45
	Serial port	USB for serial port
	Power jack	DC power input
Media play	Earphone	3.5mm earphone
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4Kx2K(H.264)
	Audio format	MP3/WMA/AAC etc.
Other	Photo	jpeg
	Battery	4500mah/7.4V,working time ~1.5hours
	NFC	ISO/IEC 14443 type A,type B cards
	Speaker	2*2W
	Camera	5.0M/P,Front camera with AF
	MIC	Built-in MIC
	Power consumption	20W
	Working temp	0--40degree
	Certificates	CE/FCC/RoHS
	Language	Multi-language
Accessories	Adapter	Adapter,12V/2A
	User manual	yes

Unit (Without packaging)			Giftbox (With Packaging)			Carton pcs/CTN		
L	W	H	L	W	H	L	W	H
427.76mm	275.0mm	152.95mm						
Net(kg)			Net(kg)			Net		
						G.W		

Next page Drawing

PRODUCT SHEET

Android Counter Display

17.3inch Android Touch Display - OS6.0 - RK3368

ArtNr: EL-1733AIO-T-CD-BAT

DRAWINGS:

