

PRODUCT SHEET

24inch Windows Based Kiosk with Printer

ArtNr: RS-240WIN-T-INFOSTAND

MAIN FEATURES:

- AutoStart by plug in power-adapter
- 24inch TFT LED panel 1920x1080 pixels
- P-CAP Touch, optional: Infrared Touch
- Metal White Housing Kiosk
- HDMI input
- 3G/WIFI/WLAN Network connection
- Internal Speakers
- Power Adapter with 2.5meter cable
- Usage up to 14 hours per day
- Aspect Ratio 16:9

MAIN PURPOSE

- Public Information Display / Hospitality
- POS / HOTEL / Self-service Terminal

USAGE:

This Kiosk-Terminal, used as an information stand, can be used in many environments, to give information about certain products, services or situations. By touching the screen you can lookup your desired information. On this Windows model you have to install your own presentation or App. We can provide you with some software systems to support your presentation/app. Stand-alone software or access the screens remotely from our office.

OPTIONAL:

Add some additional hardware, for more inter-activity:

- RFID Reader
- NFC Reader
- Motion Sensor
- Barcode Scanner - Camera



Next pages: technical specs and measurements

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

PRODUCT SHEET

24inch Windows Based Kiosk with Printer

ArtNr: RS-240WIN-T-INFOSTAND

Specifications

PANEL	Panel Model	23.6inch TFT LCD
	Max Resolution	1920x1080
	Aspect Ratio	16:09
	Pixel Pitch	0.2715x0.2715
	Viewing Angle	89/89/89/89
	Contrast Ratio	3000:1
	Brightness	300cd/m ²
	Response Time	10ms
	Display Area (mm)	521.28x293.22mm
	Panel Size(mm)	544.8x320.5x11.5mm
	Screen Weight	2.3Kg
	Lamp Type	WLED
<hr/>		
CELERON SPECIFICATION	CPU	Intel® Celeron® Processor 1037U (2M Cache, 1.80 GHz)
	Chipset	1037U+NM70
	Graphic Card	Intel HD4000
	Memory	4GB RAM, 120G SSD
	Audio	Realtek ALC662
	Ethernet LAN	1*RTL8111E LAN
<hr/>		
CONNECTOR	Rear Panel I/O	X1 HDMI port X1 VGA port X1 RJ-45 port X2 USB 2.0 ports and 2 * USB 3.0 ports X2 Audio I/O ports (Mic and Line-out)
<hr/>		
CONNECTIVITY	LAN	RJ45 Port, 10/100M Ethernet
	WiFi	Built-in WiFi 802.11B/G/N
	3G (Optional)	WCDMA
<hr/>		
MULTIMEDIA	USB Playback Audio	AAC, AIF, AIFF, ASF, LPCM, M3U, M4A, MP3, MP4, WAV, WMA
	USB Playback Picture	BMP, GIF, JPEG, JPG
	USB Playback Video	M2TS, M4V, MK3D, MKV, MP4, MPEG, MPG, MTS, TS, TTS, VOB, WMV
<hr/>		

PRODUCT SHEET

24inch Windows Based Kiosk with Printer

ArtNr: RS-240WIN-T-INFOSTAND

RESOLUTION REFRESH RATE	Output Mode	1920 x 1200 60Hz 1920 x 1080 60Hz 1600 x 1200 60Hz 1440 x 900 60Hz 1366 x 768 60Hz 1360 x 768 60Hz 1280 x 1024 60Hz 1280 x 800 60Hz 1280 x 768 60Hz 1024 x 768 60Hz 800 x 600 56, 60, 72, 75Hz 640 x 480 60, 67, 72, 75Hz
TOUCH		P-CAP Touch / infrared Touch (optional)
POWER	Mains Power Consumption	AC 100-240V, 50-60 Hz 40 W
SOUND	Built-in Speakers	2 x 10W
DIMENSION & WEIGHT	Machine Size	592x56x360mm 350x400x985mm(Bracket)
	Machine Weight	8.8KG 17.5KG(Bracket)
	Carton Size	700x190x470mm 490x485x1065mm(Bracket)
	Carton Weight	11.9KG 19.8KG(Bracket)
OTHER	Regulatory Approvals Warranty	CE, FCC, ROHS 1 year warranty
ACCESSORIES	Included	AC Power Cord,CD ,Tools and Screws, Keys

PRODUCT SHEET

24inch Windows Based Kiosk with Printer

ArtNr: RS-240CBTPC-PCAP-P

Drawing

