

PRODUCT SHEET

43inch Interactive Windows Based Display

ArtNr: RS-430WIN-T-DISPLAY-TABLE

MAIN FEATURES:

- AutoStart ny plug in power-adapter
- 43inch TFT LED panel 1920x1080 pixels
- Capacitive Touch
- Metal Black Housing Kiosk
- 3G/WIFI/WLAN Network connection
- HDMI input
- Internal Speakers
- Power Adapter with 2.5meter cable
- Aspect Ratio 16:9

MAIN PURPOSE:

- Public Information Display / Hospitality
- POS / HOTEL / Self-service Terminal

USAGE:

This Kiosk-Terminal, used as an information stand, can be used in many environments, to give information about cer- tain products, services or situations. By touching the screen you can lookup your desired information. On this Windows model you have to install your own presenta- tion or App. We can provide you with some software systems to support your presentation/app. Stand-alone software or access the screens remotely from our office.

OPTIONAL:

Add some additional hardware, for more inter-activity:

- RFID Reader
- NFC Reader
- Motion Sensor
- Barcode Scanner
- Camera



All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

Next pages: technical specs and measurements

PRODUCT SHEET

43inch Interactive Windows Based Display

ArtNr: RS-430WIN-T-DISPLAY-TABLE

Specifications

PANEL	Panel Model	43inch TFT LED	
	Max Resolution	1920x1080	
	Aspect Ratio	16:09	
	Pixel Pitch	0.4903x0.4903	
	Viewing Angle	89/89/89/89	
	Contrast Ratio	1200:1	
	Brightness	500cd/m	
	Response Time	26ms	
	Display Area (mm)	941.184x592.416mm	
	Panel Size(mm)	973x565.8x29mm	
	Screen Weight	11Kg	
Lamp Type	WLED		
<hr/>			
CELERON SPECIFICATION	CPU	Intel® Celeron® Processor 1037U (2M Cache, 1.80 GHz)	
	Chipset	1037U+NM70	
	Bios	Intel HD4000	
	Memory	4GB RAM, 120G SSD	
	Audio	Realtek ALC662	
	Ethernet LAN	1*RTL8111E LAN	
<hr/>			
CONNECTOR	Rear Panel I/O	X1	HDMI port
		X1	VGA port
		X1	RJ-45 port
		X2	USB 2.0 ports and 2 * USB 3.0 ports
		X2	Audio I/O ports (Mic and Line-out)
<hr/>			
CONNECTIVITY	LAN	RJ45 Port, 10/100M Ethernet	
	WiFi	Built-in WiFi 802.11B/G/N	
	3G (Optional)	WCDMA	
<hr/>			
MULTIMEDIA	USB Playback Audio	AAC, AIF, AIFF, ASF, LPCM,M3U, M4A, MP3, MP4, WAV, WMA	
	USB Playback Picture	BMP, GIF, JPEG, JPG	
	USB Playback Video	M2TS, M4V, MK3D, MKV, MP4,MPEG, MPG, MTS, TS, TTS, VOB, WMV	
<hr/>			

PRODUCT SHEET

43inch Interactive Windows Based Display

ArtNr: RS-430WIN-T-DISPLAY-TABLE

RESOLUTION REFRESH RATE	Output Mode	1920 x 1200 60Hz 1920 x 1080 60Hz 1600 x 1200 60Hz 1440 x 900 60Hz 1366 x 768 60Hz 1360 x 768 60Hz 1280 x 1024 60Hz 1280 x 800 60Hz 1280 x 768 60Hz 1024 x 768 60Hz 800 x 600 56, 60, 72, 75Hz 640 x 480 60, 67, 72, 75Hz
TOUCH		Capacitive Touch
PRINT		EPSON M-T532
POWER	Mains Power Consumption	AC 100-240V, 50-60 Hz 85 W
SOUND	Built-in Speakers	2 x 10W
DIMENSION & WEIGHT	Machine Size	1200x51.5x700mm 850x450x731.5mm(Bracket)
	Machine Weight	43.2KG 36KG(Bracket)
	Carton Size	1315x170x815mm 925x465x765mm(Bracket)
	Carton Weight	50KG 38.5KG(Bracket)
OTHER	Regulatory Approvals Warranty	CE, FCC, ROHS 1 year warranty
ACCESSORIES	Included	AC Power Cord, CD , Tools and Screws, User manual, Keys

PRODUCT SHEET

43inch Interactive Windows Based Display

ArtNr: RS-430WIN-T-DISPLAY-TABLE

Drawing

