PRODUCT SHEET

Android Display

14inch Android Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: FI -1412AIO-T

MAIN FEATURES:

- 14inch LCD panel 1920x1080 pixels
- Capacitive touch
- Internal HD videoplayer 1080P
- AutoStart by plug in power-adapter
- Rooted Android 5.1 / 6.0 / 8.1 RK3288
- Internet access by WiFi and LAN
- Optional 3G dongle
- Internal Speakers 2x2 W
- 3.5mm Jack output
- Thin housing
- Remote Control
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- Screw Holes for hangup / built-in
- Optional: PoE function

MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay















Internet access by:







USAGE:

This Android touch Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. RSS Feed and "SbEND signage.

OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 7 / 10 /11.6/ 14 / 15.6 /17.3/ 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup.













PRODUCT SHEET

Android Display

14inch Android Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-1412AIO-T

SPECIFICATIONS:

	СРИ	Quad core cortex A17,1.8G,RK3288		
System	RAM	2GB		
	Internal memory	16GB		
	Operation system	Android 5.1 / 6.0 / 8.1		
	Touch screen	10-Point capacitive touch		
	Panel	14"LCD panel		
	Resolution	1920*1080		
	Active area	309.312(H)x 173.988(V)		
Display	viewing angle	85/85/85(L/R/U/D)		
	Contrast ratio	700		
	Luminance	250cdm2		
Network	Aspect Ratio	.16:9		
	WiFi	802.11b/g/n		
	3G dongle	3G USB dongle ext.		
	Ethernet	10M/100M		
	Bluetooth	Bluetooth 4.0		
	Card slot	SD,Support up to 32GB		
	USB Device	Mini USB OTG		
	USB Host x 3	USB Host 2.0		
Interface	Power Jack	DC power input		
	HDMI	HDMI output		
	RJ45	RJ45		
Media plays	Earphone	3.5mm earphone		
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p		
	Audio format	MP3/WMA/AAC etc.		
	Photo	ipeg		
	Wall mounting bracket	100mm*100mm wall mounting		
	Speaker	2*2W		
	Camera	2.0M/P,Front camera		
	Language	Multi-language		
	Adapter	Adapter,12V/3A		
Accessories	User manual	ves		
		17		

Unit (Without packaging)			Giftbox (With Packaging)			Carton 5pcs/CTN		
L	W	Ι	L	W	I	L	W	Ι
343mm	220mm	25mm	372mm	78mm	325mm	420mm	387mm	350mm
Net(kg)	1.1KG		Net(kg)			Net	8,5kg	
						G.W		9,5kg

14inch Android Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-1412AIO-T

