## PRODUCT SHEET

## **Android Counter Model**

10.1inch Android Display - Touch - OS8.1 - RK3288

ArtNr: EL-1002AIO-T-CD

### MAIN FEATURES:

- AutoStart by plug in power-adapter
- 10.1" LCD panel 1280x800 pixels IPS
- Internal HD videoplayer 1080P
- Rooted Android 8.1 RK3288
- Internet access by WIFI (opt. LAN / 3G)
- Internal Speakers 2x1 W
- 3.5mm Jack output
- Thin housing, counter model
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- Front Camera 2.0 mp



- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay



This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

#### SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

#### **OPTIONAL:**

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 7 / 10 / 14 / 15.6 / 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- NFC RFID
- Internal Battery
- PoE Function






































Next pages: technical specs and drawing

# PRODUCT SHEET

# Android Counter Model

# 10.1inch Android Display - Touch - OS8.1 - RK3288

ArtNr: EL-1002AIO-T-CD

#### SPECIFICATIONS:

System	CPU	RK3288 Quad core cortex A17
	RAM	2GB
	Internal memory	16GB
	Operation system	Android 8.1
	Touch screen	10-Point capacitive touch
Display	Panel	10.1"LCD
	Resolution	1280*800
	Display mode	Normally black
	Viewing angle	85/85/85 (L/R/U/D)
	Contrast ratio	800
	Aspect Ratio	16:10
Network	WiFi	802.11b/g/n
	Ethernet	Optional, RJ45 convert box(Ext)
	Buletooth	Bluetooth 4.0
Interface	Card slot	TF,Support up to 32GB
	Micro USB	USB OTG
	USB	USB Host 2.0
	HDMI	HDMI output
	Power jack	DC power input
	Earphone	3.5mm earphone
	Serial port	4P-2.0mm, serial port
	RJ45	4P-2.0mm connect to RJ45 box
	Video format	MPEG-1,MPEG-2,MPEG-4,H.265,H.264,VC-1,VP8, etc.,support up to
Media play	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
Other	Battery	Optional,4500mah/3.7V, ~working 2 hours
	Microphone	yes
	Speaker	2*1W
	Camera	2.0M/P,Front camera
	Language	Multi-language
	Color	White/Black
	Adapter	Adapter,12V/1.5A
Accessories	User manual	yes

## Product Measurement, mm

Unit (Without packaging)			Giftbox (With Packaging)		Carton 8pcs/CTN				
L	W	Н	L	W	Н	L	W	Н	
243mm	11.7mm	170mm	288mm	206mm	119mm	497mm	303mm	437mm	
Net(kg) 0.66kg			Net(kg)	1.2kg		Net	9.6kg		
							10.5kg		

# 10.1inch Android Display - Touch - OS8.1 - RK3288

ArtNr: EL-1002AIO-T-CD Power **DRAWINGS** <u>( ტ</u> Front Camera 243.0mm 218.0mm o Speaker 11.7mm Connect to RJ45

convert box

Micro USB

TF Card

Earphone

Serial port

**HDMI** 

DC In