10.1inch Android Touch Display - 6.0
ArtNr: EL-1023AIO-T-BAT

MAIN FEATURES:

- AutoStart by plug in power-adapter
- LCD panel 1280 x 800 pixels
- 10 points Capacitive Touchscreen
- Internal HD videoplayer 1080P
- Rooted Android 6.0 / RK 3368, Octacore Cortex
- Internet access by WIFI /LAN (opt. 3G)
- Internal Speakers 2x2 W
- 3.5mm Jack output
- Thin housing
- Remote Control
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- Screw Holes for hangup / built-in

MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android 6.0 operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 11.6inch
- Several kinds of brackets for hangup.

Internet access by:

WiFi

LAN-RJ45

OPTIONAL 3G/4G BY USB Sim Dongle

3G

Next pages: technical specs and drawing

PRODUCT SHEET

Android Display

10.1inch Android Touch Display - 6.0
ArtNr: EL-1023AIO-T-BAT

SPECIFICATIONS:

System	CPU	RK3368,Octa-core cortex A53,1.5G
	RAM	1GB
	Internal memory	8GB
	Operation system	Android 6.0
	Touch screen	10-Point capacitive touch
Display	Panel	10.1"LCD IPS panel
	Resolution	1280*800
	Active area	216.96(H)x135.6mm(V)
	Display mode	Normally black ,IPS
	Viewing angle	85/85/85/85(L/R/U/D)
	Contrast ratio	800
	Luminance	300cd/m2
	Aspect Ratio	16:10
Network	WiFi	802.11b/g/n
	Ethernet	10M/100M ethernet
	Buletooth	Bluetooth 4.0
Interface	Card slot	SD card
	USB x 3	USB Host
	Micro USB	Micro USB OTG
	HDMI	HDMI output
	RJ45 with POE	RJ45 (power over ethernet cable)
	POE	IEEE802.3at/af
	Power jack	DC power input
	Earphone	3.5mm earphone
Media play	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p
	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
Other	Battery	5000mah/3.7V
	VESA	75x75mm
	Speaker	2*1.5W
	Camera	2.0M/P,Front camera
	MIC	Built-in MIC
	Language	Multi-language
Accessories	Adapter	Adapter,12V/2A
	User manual	yes

Product Measurement, mm								
Unit (without packaging)			Giftbox (With Packaging) **1pc**			Carton **5pc/ctn**		
L	W	H	L	W	H	L	W	H
255mm	172mm	29mm	398mm	68mm	223mm	416mm	358mm	243mm
Net(kg) 0.7			Net(kg)			Net(kg)		

Android Display

10.1inch Android Touch Display - 6.0
ArtNr: EL-1023AIO-T-BAT

DRAWINGS

SD card slot   USB host   USB host   USB host   RJ45 with PoE   Micro USB   HDMI output   DC 12V/2A input
                                                                      Earphone

255.0
218.0

172.0
136.5

29.0

75.0

75.0