PRODUCT SHEET

Android Display

10.1inch Android Display - Touch - OS5.1/6.0/8.1 - RK3288

ArtNr: EL-1022AIO-T

MAIN FEATURES:

- AutoStart by plug in power-adapter
- LCD panel 1280 x 800 pixels
- 10 points Capacitive Touchscreen
- Internal HD videoplayer 1080P
- Rooted Android 5.1 / 6.0 / 8.1 RK3288
- Internet access by WIFI /LAN (opt. 3G)
- Internal Speakers 2x2 W
- 3.5mm Jack output
- Thin housing
- Remote Control
- Power adapter with 3meter cable
- 24/7 usage
- Screw Holes for hangup / built-in
- Optional: PoE function

MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Kiosk Lockdown website or app and remotelely CMS with "iChannel" signage.

OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Other similar models: 7-10-13-14-15,6-18,5-21,5-24-32-43-55inch
- Several kinds of brackets for hangup.




























Internet access by:









PRODUCT SHEET

Android Display

10.1inch Android Display - Touch - OS5.1/6.0/8.1 - RK3288

ArtNr: EL-1022AIO-T


SPECIFICATIONS:


System	CPU	Quad core cortex A17,1.8G,RK3288		
	RAM	2GB		
	Internal memory	16GB		
	Operation system			
	Touch screen	10-Point capacitive touch		
	Panel	10.1"LCD IPS panel		
	Resolution	1280*800		
	Active area	216.96(H)x135.6mm(V)		
Disaless	Display mode	Normally black ,IPS		
Display	Viewing angle	85/85/85/85(L/R/U/D)		
	Contrast ratio	800		
	Luminance	250cd/m2		
	Aspect Ratio	,16:10		
	WiFi	802.11b/g/n		
Network	Ethernet	100M/1000M ethernet		
	Buletooth	Bluetooth 4.0		
	Card slot	SD card		
	USB	USB Host		
	USB	Serial port		
	Micro USB	Micro USB OTG		
Interface	HDMI	HDMI output		
	RJ45 with POE	RJ45		
	POE	IEEE802.3at		
	Power jack	DC power input		
	Earphone	3.5mm earphone +micphone		
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K		
Media play	Audio format	MP3/WMA/AAC etc.		
	Photo	jpeg		
	Battery	5000mah/3.7V(Optional)		
Other	VESA	75x75mm		
	Speaker	2*1.5W		
	Camera	2.0M/P,Front camera		
	MIC	Built-in MIC		
	Language	Multi-language		
	Adapter	Adapter,12V/1.5A		
Accessories	User manual	yes		

Unit (Without packaging)			Giftbox (With Packaging)			Carton 5pcs/CTN		
L	W	Н	L	W	Н	L	W	Н
255mm	172mm	29mm	398mm	68mm	223mm	416mm	358mm	243mm
Net(kg)	0.89kg		Net(kg)	1.4kg		Net		
						G.W		

10.1inch Android Display - Touch - OS5.1/6.0/8.1 - RK3288

ArtNr: EL-1022AIO-T





All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.