# PRODUCT SHEET 11.6inch Android Display - 6.0 ArtNr: EL-1163AIO-BAT

## MAIN FEATURES:

- AutoStart by plug in power-adapter
- LCD panel 1366 \* 768 pixels
- Internal HD videoplayer 1080P
- Rooted Android 6.0 / RK 3368, Octacore Cortex
- Internet access by WIFI / LAN (opt. 3G)
- Internal Speakers 2x2 W
- 3.5mm Jack output
- Thin housing
- Remote Control
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- Screw Holes for hangup / built-in

### MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

### USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android 6.0 operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

#### SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.


### OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 11.6inch
- Several kinds of brackets for hangup.





#### Internet access by:









#### Next pages: technical specs and drawing

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

# Android Display

# PRODUCT SHEET 11.6inch Android Display - 6.0 ArtNr: EL-1163AIO-BAT

### SPECIFICATIONS:


System	CPU	RK3368,Octa-core cortex A53,1.5G		
	RAM	1GB		
	Internal memory	8GB		
	Operation system	Android 6.0		
	Touch screen	no		
	Panel	11.6"LCD panel		
	Resolution	1366*768		
	Active area	256.125(H)x144mm(V)		
Diamlay	Display mode	Normally white		
Display	Viewing angle	85/85/85(L/R/U/D)		
	Contrast ratio	500		
	Luminance	220cd/m2		
	Aspect Ratio	16:9		
	WiFi	802.11b/g/n		
Network	Ethernet	10M/100M ethernet		
	Buletooth	Bluetooth 4.0		
	Card slot	SD card		
	USB x 3	USB Host		
	Micro USB	Micro USB OTG		
Interface	HDMI	HDMI output		
	RJ45	RJ45 with POE		
	Power jack	DC power input		
	Earphone	3.5mm earphone		
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p		
Media play	Audio format	MP3/WMA/AAC etc.		
	Photo	jpeg		
	Battery	5000mah/3.7V		
	VESA	75x75mm		
Other	Speaker	2*1.5W		
Other	Camera	2.0M/P,Front camera		
	MIC	Built-in MIC		
	Language	Multi-language		
	Adapter	Adapter,12V/2A		
Accessories	User manual	yes		

Product Measurement, mm											
Unit (without packaging)			Giftbox (With Packaging) <b>1pc</b>			Carton 10pc/ctn					
L	W	Н	L	W	Н	L	W	Н			
289.1mm	186.8mm	30.5mm									
Net(kg)			Net(kg)			Net(kg)					

Next page Drawing

# PRODUCT SHEET 11.6inch Android Display - 6.0 ArtNr: EL-1163AIO-BAT

## DRAWINGS



All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.