

PRODUCT SHEET

Android Counter Display

15.6inch Android Display Touch - OS8.1 - RK3288

ArtNr: EL-1512AIO-T-CD

MAIN FEATURES:

- Capacitive touchscreen
- LCD panel 1920x1080 pixels
- Internal HD videoplayer 1080P
- CounterStand
- Rooted Android 5.1/6.0/8.1
- Chip RK3288
- Internet access by WIFI + LAN (opt. 3G)
- Internal Speakers 2 x 1 W
- 3.5mm Jack output
- Thin housing
- USB host
- Power adapter with 3meter cable
- Usage up to 24 hours per day



MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay



Internet access by:



USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 7 / 10.1 / 13,3 / 17.3 inch.
- Non Touch
- NFC RFID
- Internal Battery
- PoE Function



Next pages: technical specs and drawing

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

PRODUCT SHEET

Android Counter Display

15.6inch Android Display Touch - OS8.1 - RK3288

ArtNr: EL-1512AIO-T-CD

SPECIFICATIONS:

System	CPU	Quad core cortex A17,1.8G,RK3288
	RAM	2GB
	Internal memory	16GB
	Operation system	Android 8.1
	Touch screen	10-Point capacitive touch
Display	Panel	15.6"LCD IPS panel
	Resolution	1920*1080
	Active area	344.16(H)x193.59mm(V)
	Display mode	Normally black ,IPS
	Viewing angle	85/85/85/85(L/R/U/D)
	Contrast ratio	800
	Luminance	250cd/m2
	Aspect Ratio	,16:9
Network	WiFi	802.11b/g/n
	Ethernet	100M/1000M ethernet
	Buletooth	Bluetooth 4.0
Interface	Card slot	TF card
	USB x 2	USB Host
	Micro USB	Micro USB OTG
	HDMI	HDMI output,support 4k
	RJ45	RJ45
	Serial port	USB for serial port,RS 232
	Power jack	DC power input
Media play	Earphone	3.5mm earphone
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4Kx2K
	Audio format	MP3/WMA/AAC etc.
Other	Photo	jpeg
	Battery	Optional
	NFC	Optional,NFC 13.56MHz, ISO14443A/ISO14443B/ISO 15693/Mifare classic/Sony felica
	Speaker	2*2W
	Camera	2.0M/P,Front camera
	MIC	Built-in MIC
	Power consumption	20W
	Language	Multi-language
Accessories	Adapter	Adapter,12V/2A
	User manual	yes

Product Measurement, mm								
Unit (Without packaging)			Giftbox (With Packaging)			Carton 2 pcs/CTN		
L	W	H	L	W	H	L	W	H
389.16mm	242.92mm	142.3mm	452mm	305mm	158mm	467mm	332mm	325mm
Net(kg)	1.56kg		Net(kg)	2.84kg		Net	3.67kg	
						G.W		

Next page Drawing

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

PRODUCT SHEET

Android Counter Display

15.6inch Android Display Touch - OS8.1 - RK3288

ArtNr: EL-1512AIO-T-CD

DRAWINGS:

