MAIN FEATURES:

- Play advertisement by video and slides
- Single mode / Split screens options: video and slides
- Scrolling message at bottom or top / Clock in top corner
- Can come in a FlightCase for easy carrying-transport.
- Easy setup; Setup straight, plug in power, autoplay.
- Resolution 1920 x 1080 pixels
- Display ratio: 9:16 / 16:9
- Visual angle: H/V 178°

### **OPTIONAL:**

- Built in WIFI & LAN RJ45 input source
- Capacitive Touchscreen
- FlightCase for easy transportation

### MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Kiosk Display

### USAGE:

This Android Display can be used in a commercial environment. This professional display can be used for several solutions to inform / advise people in an attractive way. This model is for Indoor use only.

### DIGITAL SIGNAGE SOFTWARE:

Standard it comes with Internal Memory to play content from (autoupdate by USB Stick). It can also come with onlne CMS digitial signage software program. Optional we can install your digital signage sofware on it.

### Additional:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 43inch





MULTIPLE SPLIT SCREENS meet your different needs

lultiple split screens play mode





Next pages: technical specs and drawing and extra information pictures.

# Android A-Board

### SPECIFICATIONS:

Item NO.	PL-320	1AIO-A-BOARD-1	  	System	Android 4.42
Back Light	LED	Digital Signage		CPU	RK3128 4 Cores 1.2GHz
Туре	Andro	id Digital Signage		DDR	1G
		enclosed shell, cold-roll		NAND FLASH	8G
	Quitlack	steel sheet, aluminum		USB	USB2.0
	Outlook	Digital SignageCPURK3128 4 CorDigital SignageDDR1Genclosed shell, cold-roll steel sheet, aluminum alloy frame, main board coverTechnical Spec.DDR1GBlackTechnical Spec.USBUSB2BlackSpec.IanguagesChinese/Englis BGM Power8 $\Omega$ Flat metalSpec.Speaker2XSVConcealed speakerInput/Output1 USB21 . Vertical displayInput/Output1 USB22 . No internet connectorPicturesBMP, JPEG,PowerRated Power44WStandby Power100°240V 5032"Working Voltage100°240V 501080X1920Isize/PackageFlight Case SizeLEDSize/PackageFlight Case Size1344X448.773000:1Grows Weight29kg6.5msNet Weight17.5kg	MAX 32G		
Appearance		cover	Technical	Languages	Chinese/English/Optional
	Color	Black		BGM Power	<b>8</b> Ω
	Back Shell	Flat metal	spec.	Speaker	2X5W
	Speaker Functions	1、Vertical display		Input/Output	1 USB2.0 1 SD
				Video	RM/RMVB,MKV,TS,FLV, AVI,VOB,MOV,WMV,MP4
Structure				Pictures	BMP、JPEG、 PNG etc.
			Power	Rated Power	44W
				Standby Power	≦1W
				Working Voltage	100~240V 50HZ/60HZ
	Size	32"		Package	Flight Case (Optional)
	Resolution	1080X1920			
	Brand	LG	Size/Package	Flight Case Size	1455X495X140mm
Screen Spec.	Display Rate	9:16			
	Back Light	LED		Machine Size	1344X448.7X30.3mm
	Contract	3000:1			
	Brightness	<b>350cd/</b> m <sup>2</sup>		Grows Weight	29kg
	React Time	6.5ms		Net Weight	17.5kg
	View Area	178(H)/178(V)	Accessories	Remote Control	1
	Color	16.7M		Battery	1
	Color Range	72% (NTSC)		Instruction	1
	Lifespan	30000 hours		Cable	1

**Note:** Specification will be changed according to customers' requirements.




### APPLICATIONS




Next pages: drawing and extra information pictures.

DRAWING:







# Android A-Board



INTELLIGENT CONTROL Wifi version: intelligent remote control every device





ULTRA THIN & CLEAN DESIGN

















MULTIPLE SPLIT SCREENS meet your different needs

