PRODUCT SHEET

Touchscreen InfoDisplay

24inch Touchscreen InfoDisplay HD

ArtNr: AC-240PH-LCD-T-HD-XML

MAIN FEATURES:

- 24inch Full HD LCD Panel
- Resolution: 1920 x 1080 pixels
- Capacitive Touch
- AutoStart by plug in power-adapter
- Internal XML player to play touchpresentation
- Internal Full HD video player (1080P)
- Viewing angles 89/89/89/89 (H/V)
- Closed Frame (opt. Open Frame)
- 3.5mm Jack output (optional)
- Power adapter with 2.5meter cable
- Usage up to 14 hours per day

が存回

MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays

USAGE:

This InfoDisplay capacitive touchscreen with high resolution IPS Panel. It works autostart; plug in the power and the InfoDisplay will start by itself. There is also an ON-OFF switch you can use.

TouchPresentation:

Create a presentation (XML based) with Slides and Videos. Setup a Tree-Structure touchpresenations; to select Pages and video's by touching the screen. Just Load your touchpresentation on a SD Card or USB stick, and plug it in the screen. It will directly play the touch-presentation.

Screensaver is possible in the presentation. If someone leaves the presentation, it will automatically go to homepage or screensaver after a certain amount of time.









Next pages: technical Specs and drawing

Touchscreen InfoDisplay

PRODUCT SHEET 24inch Touchscreen InfoDisplay HD

ArtNr: AC-240PH-LCD-T-HD-XML

SPECIFICATIONS

LCD	Туре	TFT LCD
	Display Area	527.04x296.46mm
	Optimum Resolution	1920x1080
	Contrast Ratio	3000:1
	Viewing Angles	89/89/89
	Response Time	20ms
	Backlight	Pblu=14.3; @ls=70ma
	Brightness	250cd m²
	Aspect Ratio	16:9
	Panel Surface	Anti-glare(3H)
Input	Video	AVI (XVID. H.264);MPEG1. 2. H.264; MOV (XVID. H.264)
	Control Input / Output	LVDS
Speaker	Amplifier	2x2W/8Ω
Connector	Analog / Digital	Digital
Power	Voltage	12V;3.5A
	Consumption	19.3
Operation Conditions	Temperature	-20°C,60°C
	Humidity	5-90%RH
Dimensions (mm)		
Package	Size (mm)	90x650x405

PRODUCT SHEET

24inch Touchscreen InfoDisplay HD

ArtNr: AC-240PH-LCD-T-HD-XML

DRAWINGS

