

# PRODUCT SHEET

## 15,6inch Android MeetingRoom Display Touch

ArtNr: EL-1562AIO-T-LEDBAR-BB

### MAIN FEATURES:

- LED bars at the sides of the screen, indicates the status of the Meeting Room occupation
- Colors can change in RED / BLUE / GREEN
- AutoStart by plug in power-adaptor
- 15.6" LCD IPS panel 1920x1080 pixels
- 10- points Capacitive Touchscreen
- Internal HD videoplayer 1080P
- Rooted Android 5.1 / RK3288
- Internet access by WIFI (opt. LAN / 3G)
- Black-White housing or Black-Black Housing
- Power adapter or PoE for powering the screen
- Usage up to 24 hours per day




### MAIN PURPOSE:

- Meeting Room Screen for Reservation Occupation status + Digital Signage features (logos/ videos on screen), indicated on screen and led bar coloring.
- Book reservation online via Google Calendar and Outlook system.
- We can provide online CMS system to create your layouts with logo's pictures and videos for attractoin and advertising.



### Internet access by:



### USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android 5.1 operating system.

Powering the screen is possible by LAN cable (PoE) and normal power adapter.



### SOFTWARE:

Additionally, we can provide you Room Booking Software with online CMS system (standard not included) or

We can install your software on the devices for larger order quantities. The Internal Memory can be upgraded.

=> Similar sizes available: 10.1 / 13.3 / 15.6inch



Next pages: technical specs and drawing

# PRODUCT SHEET

# LED BAR Android Display

## 15,6inch Android MeetingRoom Display Touch

ArtNr: EL-1562AIO-T-LEDBAR-BB

### SPECIFICATIONS:

<b>System</b>	CPU	RK3288, Quad-core cortex A17,1.8G
	RAM	2GB
	Internal memory	8GB
	Operation system	Android 5.1
	Touch screen	10-Point capacitive touch
<b>Display</b>	Panel	15.6" LCD IPS panel
	Resolution	1920*1080
	Active area	344.16(H)x193.59mm(V)
	Display mode	Normally black,IPS
	Viewing angle	85/85/85/85(L/R/U/D)
	Contrast ratio	800
	Luminance	250cd/m2
	Aspect Ratio	16:10
<b>Network</b>	WiFi	802.11b/g/n
	Ethernet	100M/1000M ethernet
	Buletooth	Bluetooth 4.0
<b>Interface</b>	Card slot	SD card
	USB	USB Host
	Micro USB	Micro USB OTG
	USB	USB for serial
	RJ45 with POE	RJ45 + PoE (power to the screen via LAN Cable)
	POE	IEEE802.3at/af
	Power jack	DC power input
	Earphone	3.5mm earphone + Micphone
<b>Media play</b>	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K
	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
	VESA	75x75mm
	Speaker	2*1.5W
	LED Light bar	LED Light bar, colors RED/GREEN/BLUE
	Camera	2.0M/P,Front camera
	Language	Multi-language
<b>Optional</b>	NFC	NFC reader to scan NFC tags (optional feature, only upon request)
	Motion Sensor	If detection movement, it will turn on (optional feature, only upon request)
	Housing	Color Black Front - White Back or Black Front and Black Back housing.
<b>Accessories</b>	Adapter	Adapter,12V/2A
	User manual	yes

Unit (Without packaging)			Giftbox (With Packagi		Carton 5pcs/CTN		
L	W	H	L	W	L	W	H
401.8mm	252.9mm	30.2mm	493mm	303mm	508mm	372mm	323mm
Net(kg)			Net(kg)			Net	
					G.W		

Next page Drawing

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.


# PRODUCT SHEET

# LED BAR Android Display

## 15,6inch Android MeetingRoom Display Touch

ArtNr: EL-1562AIO-T-LEDBAR-BB

### DRAWINGS



All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.