

PRODUCT SHEET

24inch Freestanding Landscape Android Touch Display

ArtNr: RS-240AIO-T-INFOSTAND

MAIN FEATURES:

- AutoStart by plug in power-adapter
- 24inch TFT LED panel 1920x1080 pixels
- Internal HD videoplayer 1080P
- Android 4.4 / RK3188 Rockchip
- 10 Point Capacitive Touch
- Metal white housing kiosk
- 3G/WIFI/WLAN Network connection
- Portrai or Landscape display mode
- Internal Speakers
- Power adapter with 2.5meter cable
- Usage up to 14 hours per day

MAIN PURPOSE:

- Public Information Display / Hospitality
- POS / HOTEL / Self-service terminal

USAGE:

This Kiosk-Terminal, used as an information stand, can be used in many environments, to give information about certain products, services or situations. By touching the screen you can lookup your desired information. On this Android model you have to install your own presentation or App. We can provide you with some software systems to support your presentation/app. Stand-alone software or access the screen remotely from our office.

OPTIONAL:

Add some additional hardware, for more inter-activity:

- RFID Reader
- NFC Reader
- Motion Sensor
- Barcode Scanner
- Camera



Next pages: technical specs and measurements

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

PRODUCT SHEET

24inch Freestanding Landscape Android Touch Display

ArtNr: RS-240AIO-T-INFOSTAND

Specifications

| | | | |
|-----------------------|----------------------|--|-------------------------------------|
| PANEL | Panel Model | 23.6inch TFT LCD | |
| | Max Resolution | 1920x1080 | |
| | Aspect Ratio | 16:09 | |
| | Pixel Pitch | 0.2715x0.2715 | |
| | Viewing Angle | 89/89/89/89 | |
| | Contrast Ratio | 3000:1 | |
| | Brightness | 300cd/m ² | |
| | Response Time | 10ms | |
| | Display Area (mm) | 521.28x293.22mm | |
| | Panel Size(mm) | 544.8x320.5x11.5mm | |
| | Screen Weight | 2.3Kg | |
| Lamp Type | WLED | | |
| <hr/> | | | |
| CELERON SPECIFICATION | CPU | Intel® Celeron® Processor 1037U (2M Cache, 1.80 GHz) | |
| | Chipset | 1037U+NM70 | |
| | Graphic Card | Intel HD4000 | |
| | Memory | 4GB RAM, 120G SSD | |
| | Audio | Realtek ALC662 | |
| | Ethernet LAN | 1*RTL8111E LAN | |
| <hr/> | | | |
| CONNECTOR | Rear Panel I/O | X1 | HDMI port |
| | | X1 | VGA port |
| | | X1 | RJ-45 port |
| | | X2 | USB 2.0 ports and 2 * USB 3.0 ports |
| | | X2 | Audio I/O ports (Mic and Line-out) |
| <hr/> | | | |
| CONNECTIVITY | LAN | RJ45 Port, 10/100M Ethernet | |
| | WiFi | Built-in WiFi 802.11B/G/N | |
| | 3G (Optional) | WCDMA | |
| <hr/> | | | |
| MULTIMEDIA | USB Playback Audio | AAC, AIF, AIFF, ASF, LPCM, M3U, M4A, MP3, MP4, WAV, WMA | |
| | USB Playback Picture | BMP, GIF, JPEG, JPG | |
| | USB Playback Video | M2TS, M4V, MK3D, MKV, MP4, MPEG, MPG, MTS, TS, TTS, VOB, WMV | |

PRODUCT SHEET

24inch Freestanding Landscape Android Touch Display

ArtNr: RS-240AIO-T-INFOSTAND

| | | | |
|--------------------|--------------|----------------------------------|--|
| RESOLUTION | REFRESH RATE | Output Mode | 1920 x 1200 60Hz 1920 x 1080 60Hz 1600 x 1200 60Hz 1440 x 900 60Hz 1366 x 768 60Hz 1360 x 768 60Hz 1280 x 1024 60Hz 1280 x 800 60Hz 1280 x 768 60Hz 1024 x 768 60Hz 800 x 600 56, 60, 72, 75Hz 640 x 480 60, 67, 72, 75Hz |
| TOUCH | | | P-CAP Touch / infrared Touch (optional) |
| POWER | | Mains Power Consumption | AC 100-240V, 50-60 Hz 40 W |
| SOUND | | Built-in Speakers | 2 x 10W |
| DIMENSION & WEIGHT | | Machine Size | 592x56x360mm 350x400x985mm(Bracket) |
| | | Machine Weight | 8.8KG 17.5KG(Bracket) |
| | | Carton Size | 700x190x470mm 490x485x1065mm(Bracket) |
| | | Carton Weight | 11.9KG 19.8KG(Bracket) |
| OTHER | | Regulatory Approvals Warranty | CE, FCC, ROHS 1 year warranty |
| ACCESSORIES | | Included | AC Power Cord, CD , Tools and Screws, Keys |

PRODUCT SHEET

24inch Freestanding Landscape Android Touch Display

ArtNr: RS-240AIO-T-INFOSTAND

Drawing

