

# PRODUCT SHEET

## 5inch OpenFrame MediaScreen

ArtNr: AC-0500F

OpenFrame MediaScreen

### MAIN FEATURES:

- AutoStart by plug in power-adapter
- 5inch LCD panel 800\*480 pixels
- Internal videoplayer 480P
- Plastic Housing for built-in purpose
- 3.5mm Jack output (optional)
- Thin housing
- Power adapter with 2.5meter cable
- Usage up to 14 hours per day
- Additional features for interactivity
  - => read more below in this productsheet!




### MAIN PURPOSE:

- Digital Signage Display /Advertisement Display
- Built-in ShopDisplays



### USAGE:

This MediaScreen has an Internal VideoPlayer. Plug in a SD card or USB Stick with your content and directly play your video (or slideshow). It will play your video(s) continously in a loop. The mainboard can optionally come with extra in-outputs for interactivity, see the options below.



### OPTIONAL: Multi Functions

The mainboard can be turned into a multi-functionboard, several in-outputs can be added, and software can be made Tailormade. Example features:

- External Speakers
- Trigger buttons for selection video / volume combined with LED lighting
- Output for LED lightning 5/12V
- Motion Sensor / Tilt-up light Sensor
- Multiple Audio Outputs for speakers & headphones
- Input Audio for Mobile phone / iPod (auto-sensing)
- Touchscreen
- Etcetera



Optional with interactive in-outputs

=> find more about the options below in this productsheet.




Next pages:  
additional features  
technical specs and drawing

## Additional Features for our MediaScreens with a Multi-Function board

We can add extra features to the Multi-functionboard which are inside some of our Mediascreens. See the features below. Our engineers can develop the function custommade against your needs.

Very usefull for Instore Display Building!



### TRIGGER BUTTONS for activate sound / video / volume / light



external press-buttons  
+ external cable



external Press and Turn button  
+ external cable



capacitive touch buttons + external cables  
(can be put under 3mm glass plate)




LED Light Pads




LED Light Strips




Customized Membrane  
press touch pad



Motion sensor



TouchScreen



Input Jack for Mobile Phone Sound



All kind of brackets



External Speakers



External 8D-cell batterybox

Next page: Technical specs & Drawing

# 5inch Open Frame MediaScreen

ArtNr: AC-0500F

## TECHNICAL SPECIFICATIONS

Display	Panel	5.0inch LCD Media Player
	Shell	Open Frame - for built-in purpose
	Resolution	800*480
	Contrast ratio	500:1
	Brightness	250cdm <sup>2</sup>
	Viewing angles:	45/45/25/35(L/R/U/D)
	Aspect Ratio	16:9
Interface	Card slot	SD Card
	USB Host	USB Host 2.0
	Power Jack	DC 12V/1A power input
	Head phone	3.5mm Jack output
Sound System	Speaker	Optional
VIDEO	Video format	1) AVI (XVID. H.264)
		2) MPEG-1 H.264
		3) MPEG 2 H.264
		4) MOV (XVID. H.264)
AUDIO	Audio format	MP3
PHOTO	Photo	JPEG
	Other	Automatic slide show playback Playback speed adjustment interval setup
Standard Functions	AutoStart	AUTO Start and repeat all file.
	Loop	Continuous loop demo video
Optional functions	Trigger Buttons	Push- and Touchbuttons, Press&Turn button
	Sensors	Motion sensor or Lift sensor to activate videos
	Speakers	External Speakers
	Batterybox	8D-Cell Batterybox for battery operated power
	Audio out	Multiple Jacks 3.5 / Coax / Digital Sound
	Jack Input	Jack Input for mobile phone / mp3-player sound
	Software	Software adjustments for your needs
	LED	LED strips, LED light pads
	Output Voltage	(multiple) Output 12V (5V), f.i. for LED lighting
	Touchscreen	Transistive TouchScreen
Others	Accessories:	Power Adapter
	Color:	Black Housing
	Brackets:	Optional several brackets available

## PRODUCT SHEET

### 5inch Open Frame MediaScreen

ArtNr: AC-0500F

OpenFrame Mediascreen

#### DRAWING

