Android MediaPlayer

016 IF CARD

PRODUCT SHEET Android 4K MediaPlayer- 7.1 Android ArtNr: UG-MP4KARM-7.1

MAIN FEATURES:

- AutoStart by plug in power-adapter
- Rooted Android 7.1
- (S912)Octa-core ARM Cortex-A53 up to 2.0GHZ (DVFS)
- Internet access by WIFI / LAN (RJ45 in)
- 3G optional by USB Dongle (not included)
- HDMI OUT
- Support maximum 4K@60fps output (HDCP2.2)

This Android MediaPlayer can be used in a commercial environment. The Player has Rooted Android 7.1 operating. This device comes with a basic installation for Android. You

We can provide a digital signage app with Online CMS software for remotely controlling your screens, scheduling and organize and create your presentations. We can install your software on the devices for larger

can install your own (signage) apps on it.

- SPDIF out
- 3x USB2.0 Host
- Remote Control
- Power adapter

MAIN PURPOSE FOR:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display

USAGE:

OPTIONAL:

order quantities.

•

CounterDisplay



Internet access by:









Next pages: technical specs and drawing

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice



PRODUCT SHEET Android 4K MediaPlayer- 7.1 Android ArtNr: UG-MP4KARM-7.1

SPECIFICATIONS:

Hardware Spec:			
Operation System	Android 7.1		
Language	Chinese,EnglishMulti-Language support		
CPU	(S912)Octa-core ARM Cortex-A53 up to 2.0GHZ (DVFS)		
GPU	ARM Mali-T820MP3 GPU up to 750MHz(DVFS)		
SDRAM	DDR3 2GB (compatibility 1GB-2GB)		
Flash	16GB (EMMC) (compatibility 4GB-32GB)		
Network	IEEE 802.11 a/b/g/n 2.4GHz / 5.0GHz(option)		
WIFI Module (wifi	LTM8830		
The extended storage	SD Card, up to 32GB (SD2.X,SD3.X,SD4.X, eMMC ver5.0)		
Power Supply	DC 5V/3A 5.5mm DC-in		
HDR	Support		
Interface:			
HDMI Output	HDMI(1.4 and 2.0) to support maximum 4K@60fps output(HDCP2.2)		
USB Port	3*USB 2.0 Host		
Data Output	1*SPDIF		
Led work light	support		
Network	1*RJ45 1000M (Gigabit network)		
Power Supply	1*DC Jack		
SATA	Option		
Media Parameter:			
Audio Container	MP3,AAC,WMA,RM,FLAC		
Audio Out	Supports MP3, AAC, WMA, RM, FLAC, Ogg and programmable with 7.1/5.1 down-mixing I2S audio interface supporting 2-channel input and 8-channel (7.1) output Built-in serial digital audio SPDIF/IEC958 output and PCM input/output Built-in stereo audio DAC, Stereo digital microphone PDM input Support concurrent dual audio stereo channel output with combination of analog+PCM or I2S+PCM		
Video CODEC	VP9 Profile-2 up to 4Kx2K@60fpsH.265HEVCMP-10@L5.1 up to 4K*2K@60fpsH.264 AVC HP@L5.1 up to 4K*2K@60fpsH2.64 MVC up to1080P@60fpsMPEG-4 ASP@L5 up to 1080P@60fps (ISO-14496)WMV/VC-1 5P/MP/AP up to 1080P@60fpsAVS-P16(AVS+)/AVS-P2 jiZhun Profile up to 1080P@60fpsMPEG-2 MP/HL up to 1080P@60fps(ISO-13818)MPEG-1 MP/HL up to 1080P@60fps(ISO-11172)Realvideo 8/9/10 up to 1080PWebM up to VGAMultiple language and multiple format sub-title video supportMJPEG and JPEG unlimited pixe resolution decoding(ISO/IEC-10918)Supports JPEG thumbnail, scaling, rotation and transition effectsSupport *.mkv,*.wmv,*.mpg,*.mpeg,*.dat,*.avi,*.mov,*.iso,*.mp4,*.rmand *.jpg file formats		

PRODUCT SHEET Android 4K MediaPlayer- 7.1 Android ArtNr: UG-MP4KARM-7.1

SPECIFICATIONS

Software Extension	Support Google Play & APK install	
DLNA, Miracast Protoco	Support DLNA, Miracast Protocol	
Remote Control	Remote controller	
IM Software	Support Skype/QQ/MSN/GTALK (Depends on APK)	
Offic Software	WORD/EXCEL/PDF(Depends on APK install)	
Others Parameters		
Operationg Temperature	0~60°C	
Storage Temperature	-10~60°C	
Humidity environment	5%-90%(No condensation)	
Certification	CE, FCC	
Package :		
Dimension	117*117*18.5mm	
Net weight	131g	
Gift Box Size	195*153*70mm	
Gift Box Weight	822g	
Carton box weight	17,5kg	
Carton Box Size	500*375*355mm 20PCS	
Packing accessories		
1、User manual		
2、power adapter		
3、Remote control		
4、HDMI cable		
5、Giftbox packing		