55inch All-in-one Touch Display with Card Reader Function

ArtNr: RS-550WIN-T-INFOSTAND

MAIN FFATURES:

- AutoStart by plug in power-adapter
- 55inch TFT LED panel 1920x1080 pixels
- Capacitive Touch
- Color, standard Black-Silver
- HDMI input
- 3G/WIFI/WLAN Network connection
- Internal Speakers
- Power Adapter with 2.5meter cable
- Usage up to 14 hours per day
- Aspect Ratio 16:9

MAIN PURPOSE:

- Public Information Display / Hospitality
- POS / HOTEL / Self-service Terminal

USAGE:

This Kioks-Terminal, used as an information stand, can be used in many environments, to give information about cer- tain products, services or situations. By touching the screen you can lookup your desired information. On this Windows model you have to install your own presentation or App. We can provide you with some software systems to support your presentation/app. Stand-alone software or access the screens remotely from our office.

OPTIONAL:

Add some addtional hardware, for more inter-activity:

- RFID Reader
- NFC Reader
- Motion Sensor
- Barcode Scanner
- Camera













55inch All-in-one Touch Display with Card Reader Function

ArtNr: RS-550WIN-T-INFOSTAND

Specifications

PANEL	Panel Mod Max Resolutio Aspect Rat Pixel Pito Viewing Ang Contrast Rat Brightnes Response Tim Display Area (mn Panel Size(mn Screen Weig Lamp Typ	1920x1080 16:09 0.63x0.63 89/89/89/89 1400:1 500cd/m² 6ms 1209.6x680.4mm 1244.6x720.9mm
CELERON SPECIFI	CATION CP Chips Graphic Ca Memo Aud Ethernet LA	(2M Cache, up to 2.42 GHz) Intel Bay trail SOC Intel HD4000 4GB RAM, 120G SSD Realtek ALC662
CONNECTOR	Rear Panel I/O	VGA port RJ-45 port USB 2.0 ports and 2 * USB 3.0 ports
CONNECTIVITY	LA Wi 3G (Optiona	Built-in WiFi 802.11B/G/N
MULTIMEDIA	USB Playback Aud USB Playback Pictu USB Playback Vide	MP3, MP4, WAV, WMA BMP, GIF, JPEG, JPG

55inch All-in-one Touch Display with Card Reader Function

ArtNr: RS-550WIN-T-INFOSTAND

RESOLUTION REFRESH	RATE Output Mode	1920 x 1200 60Hz 1920 x 1080 60Hz 1600 x 1200 60Hz 1440 x 900 60Hz 1366 x 768 60Hz 1360 x 768 60Hz 1280 x 1024 60Hz 1280 x 800 60Hz 1280 x 768 60Hz 1024 x 768 60Hz 800 x 600 56, 60, 72, 75Hz 640 x 480 60, 67, 72, 75Hz	
TOUCH		Capacitive Touch	
POWER	Mains Power Consumption	AC 100-240V, 50-60 Hz 110 W	
SOUND	Built-in Speakers	2 x 10W	
DIMENSION & WEIGHT	Machine Size Machine Weight Carton Size Carton Weight	1884x55x769mm 792x50x435mm(stand base) 83.4KG 1995x225x910mm 98.1KG	
OTHER	Regulatory Approvals Warranty	CE, FCC, ROHS 1 year warranty	
ACCESSORIES	Included	AC Power Cord, CD , Tools and S User manual, Keys	crews,

55inch All-in-one Touch Display with Card Reader Function

ArtNr: RS-550WIN-T-INFOSTAND

Drawing



