PRODUCT SHEET Android Counter Model 10.1inch Android Touch Display - OS6.0 - RK3128 ArtNr: EL-1008AIO-T-CD

MAIN FEATURES:

- AutoStart by plug in power-adapter
- 10.1" LCD panel 1280x800 pixels IPS •
- 5- points Capacitive Touchscreen •
- Internal HD videoplaver 1080P •
- Rooted Android 6.0 / RK 3128 •
- Internet access by WIFI (opt. LAN / 3G) ٠
- Internal Speakers 2x1 W •
- 3.5mm Jack output •
- Thin housing, counter model •
- Power adapter with 3meter cable •
- Usage up to 24 hours per day
- Front Camera 2.0 mp •

MAIN PURPOSE:

- **Digital Signage Display** •
- Advertisement Display
- Built-in ShopDisplays •
- Kiosk Display


USAGE:

CounterDisplay

SIGNAGE SOFTWARE:



Internet access by:









We can install your software on the devices for larger order quantities.

This Android Display can be used in a commercial envi-

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

inform / advise people in an attractive way.

ronment. The Display has Rooted Android operating. This professional display can be used for several solutions to

- Internal Memory can be upgraded. •
- Non Touch
- NFC RFID ٠
- Internal Battery •
- **PoE** Function



Next pages: technical specs and drawing

PRODUCT SHEET Android Counter Model 10.1inch Android Touch Display - OS6.0 - RK3128 ArtNr: EL-1008AIO-T-CD


SPECIFICATIONS:

	CPU	Quad core cortex A7,1.3G			
System	RAM	1GB			
	Internal memory	8GB			
	Operation system	Android 6.0			
	Touch screen	5-Point capacitive touch			
Display	Panel	10.1"LCD IPS panel			
	Resolution	1280*800			
	Contrast ratio	800			
	Luminance	250cd/m2			
	Aspect Ratio	.16:10			
Network	WiFi	802.11b/g/n			
	Ethernet	Optional, RJ45 convert box(Ext)			
	Buletooth	Bluetooth 4.0			
Interface	Card slot	TF,Support up to 32GB			
	Micro USB	Micro USB OTG			
	USB	USB Host			
	HDMI	HDMI output			
	Power jack	DC power input			
	Earphone	3.5mm earphone			
	Serial port	4P-2.0mm, serial port			
	RJ45	4P-2.0mm connect to RJ45 box			
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p			
Media play	Audio format	MPEG-1,MPEG-2,MPEG-4, H.203, H.204, VC1, KV etc., support up to 1080p			
weata play	Photo				
	Battery	jpeg 4500mah/3.7V,~working 2 hours			
	Micphone	yes2*1W			
	Speaker Camera				
Other		2.0M/P,Front camera			
	Language	Multi-language			
	Working temp	040degree			
	Certificates	CE/FCC/ROHS			
	Color	White/Black			
	Adapter	Adapter,5V/2A			
Accessories	User manual	yes			

Product Measurement, mm											
Unit (without packaging) Giftbox (With Packaging) 1pc Carton 20 pc/ctn											
L	W	Н	L	W	Н	L	W	Н			
243 mm	11.7 mm	170 mm	288 mm	206 mm	119 mm	615 mm	303 mm	437mm			
Net(kg) 0.62			Net(kg)			Net(kg)					

PRODUCT SHEET

10.1inch Android Touch Display - OS6.0 - RK3128 ArtNr: EL-1008AIO-T-CD



All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.