

## PRODUCT SHEET



Android Displays

### 32inch Android Touch Display - HD

ArtNr: EL-3201AIO-T

#### MAIN FEATURES:


- AutoStart by plug in power-adapter
- LCD panel 1920\*1080 pixels
- 10points Capacitive Touchscreen
- Internal HD videoplayer 1080P
- ROOTED Android 4.4.2
- Internet access by WIFI / LAN (opt. 3G)
- Internal Speakers
- 3.5mm Jack output
- Thin housing
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- ScrewHoles for hangup / built-in



#### MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

Internet access by:



#### USAGE:

This Android Display can be used in a commercial environment. The Display has **Rooted** Android 4.4.2 operating system and comes with a capacitive touch front layer. This professional display can be used for several solutions to inform / advise people on an attractive way.

#### SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

#### OPTIONAL

- We can install your software on the devices for larger order quantities.
- Internal memory can be upgraded.
- Similar sizes available: 7 / 10 / 14 / 15.6 / 18.5 / 21.5 / 24 / 27 / 32 inch.
- Several kinds of brackets for hangup



Next pages: technical specs and drawing

**32inch Android Touch Display – HD**

ArtNr: EL-3201AIO-T

**SPECIFICATIONS**

System	CPU	Quad core cortex A9,1.6G,RK3188
	RAM	1GB
	Internal memory	8GB
	Operation system	Android 4.4.2 - ROOTED
	Startup	AutoStart by plugin powercable
	Touch screen	10-Point capacitive touch screen
Display	Panel	32"LCD full HD IPS screen,LED backlight
	Resolution	1920*1080
	Viewing angles	89/89(H),89/89(V)
	Contrast ratio	3000
	Luminance	250cdm2
	Aspect Ratio	16:9
Network	WiFi	802.11b/g/n
	3G dongle	3G USB dongle ext.
	Ethernet	10M/100M Ethernet
	Bluetooth	Bluetooth
Interface	Card slot	SD,Support up to 32GB
	USB Device	Mini USB OTG
	USB Hostx3	USB Host 2.0
	Power Jack	DC power input
	RJ45	Ethernet
	Earphone	3.5mm earphone
Media plays	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,RV etc.,support up to 1080p
	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
Others	Power consumption	50W
	Wall mounting	VESA,100x100mm
	Speaker	2*3W
	Camera	5.0M/P,AF
	Language	Multi-language
	Application	MSN/Skype/Facebook/Twitter/Youtube/E-mail/google map etc
	Adapter	Adapter,12V,5A
Accessories	User manual	
	Adapter	
	Stand	
	SD/USB protect cover	

**Product Measurement, mm**

Unit (Without packaging)			Giftbox (With Packaging)			Carton 2pcs /CTN		
L	W	H	L	W	H	L	W	H
750mm	40mm	475mm	862mm	135mm	555mm	880mm	295mm	580mm
Net(kg)	7.6kg		Net(kg)	10.1kg		Net	20.2kg	
						G.W	21.9kg	

Next page: Drawing

## PRODUCT SHEET

### 32inch Android Touch Display – HD

ArtNr: EL-3201AIO-T

Android Displays

#### DRAWING

