PRODUCT SHEET 7inch MediaScreen - 480P

ArtNr: EL-7012-HAIER

MAIN FEATURES:

- AutoStart-Play-Repeat
- LCD panel 800x480 pixels
- Internal videoplayer 480P
- ScrewHoles for hangup / built-in
- CounterStand
- SD cardreader
- USB portal
- Internal Speakers
- 3.5mm Jack output
- Thin housing
- Remote Control
- Color standard Black, opt. white
- Power adapter with 3meter cable
- Usage up to 24 hours per day















MAIN PURPOSE:

Digital Signage Display

Advertisement Display

Built-in ShopDisplays

Shelf-edge Display

CounterDisplay

USAGE:

This MediaScreen has an Internal VideoPlayer with 480P resolution. Plug in a SD card or USB Stick with your content and directly play your video (or slideshow). It will play your video(s) continuously in a loop. The timer function can be used for Automatic On-Off.

OPTIONAL

- Internal Memory to load your content on it.
- AutoCopy function by USB Stick to internal memory.
- Similar sizes available: 7 / 8 / 10.1 / 11.6 / 14 / 15.6 / 18.5 / 21.5 / 24 / 27 / 32 inch.













Next pages: technical specs and drawing

PRODUCT SHEET 7inch MediaScreen – 480P

ArtNr: EL-7012-HAIER

SPECIFICATIONS

	Panel	7" LCD panel LED backlight	
Display	Brightness	250 nits	
	Resolution	800*480	
	Aspect Ratio	16:9	
	SD Card slot	SD/MMC/MS	
	USB Device	USB Device	
Interface	USB Host	USB Host 2.0	
	Power jack	DC power input	
	Earphone	3.5mm jack earphone	
Sound System	Speaker	Built in speaker 2x 1w	
Video	Video format	Max 480P: Plays all kind of files: f.iAVI/	
Video	Video ioimat	MPEG1/MPEG2/MP4/H.264, support up to 720x576p	
Music	Music format	MP3	
	Photo	JPEG, support JPEG decode size up to 16384x16384	
Photo	Other	Automatic slide show playback	
		Photo playback speed adjustment interval setup	
OSD Languages	OSD Language	Multi OSD language	
AutoStart	AutoStart	Yes, autostart - play - repeat video (or slideshow)	
	Remote control	Full function remote control	
	Calendar	yes	
	Real time clock	yes	
Other Function	Auto power on/off	Support	
	Built-in memory (optional)	Built in TF card	
	Power consumption	5W	
	Photo+Music playback	yes	
	Accessories	User manual	
		Adapter ,5V/1.5A	
Accessories		Remote control	
Accessories	Hangup	3x Screwholes for bracket - hangup	
	Backstand	backstand for desktop	
	Color	Black (optional White)	

Product Measurement, mm									
Unit (Without packaging) Giftbox (With Packaging)			Carton 20PCS/CTN						
L	W	Н	L	W	Н	L	W	Н	
195,2	127,6	20	315	185	52	545	330	385	
Net(kg)	0.32kg	Net(kg) 0.6kg			Net(kg)	NW:12kg \ GW:13kg			


Next page: Drawing

PRODUCT SHEET 7inch MediaScreen – 480P

ArtNr: EL-7012-HAIER

	0-1	C-1 (P CC	N1	W D1	n'	D11 - C	p	
	Category	Codec/FoutCC	Normal support	Max Resolution	Bitrate	File format	Remark	
	MPEG1	MPEG1	√	-		.mpg .mpeg .dat .avi	VCD	
	MPEG2	MPEG2	√	-		.vob .mpg .ts .avi	DVD TS	
	MPEG4	RMP4	√	720x576	4Mbps 16Mbps		RealMagic MPEG-4	
		DivX5	√					
		DivX4	√				THE STATE OF THE S	
		Xvid	√			.avi .mp4 .3gp .mov	XVID	
Video		DIVX	√				DIVX, DIV4, DIV5, DX50,	
		MP4V	√				FFmpeg MPEG-4	
		DIV3	×	-			FFmpeg DivX; (MS MPEG-4 v3)	
		MP43	×				FFmpeg DivX; (MS MPEG-4 v3)	
		COL1	×				FFmpeg DivX; (MS MPEG-4 v3)	
		DivX6. 2. 2	to be define					
	MJPEG	MJPEG-A	√	4		.avi .mov		
	-	MJPEG-B	√			.avi .mov		
	-							
	Category	Codec	Normal support	Sample Rate	Bitrate	File format	Remark	
		Layerl	√	-	32-448Kbps	4		
	MP3	Layer2	√	8-48KHz	32-384Kbps	. mp3		
		Layer3	√		32-320Kbps	1		
		MPEG2.5	√		8-160Kbps		decode as normal mp3	
	WMA	WMA	1	8-48KHz	8-320Kbps	. wma	support ver 7.0,8.0, support LPC profile	
		LPCM	√	4		1	8,16bit	
	PCM	IMA-ADPCM	√	4		. wav	4bit	
		MS-ADPCM	√	8-96KHz			4bit	
Audio		A-LAW	√				8bit	
		U-LAW	√				8bit	
	AC3		×	_				
	DTS		×	1				
	AAC		√	1			LC Profile level	
	OGG		×	8-48KHz				
	Alac		×	1				
	Flac		×	1				
	RealAudio	COOK	×					
	AMR		√	8KHz				
	Category		Normal support	Max Resolution		File format	Remark	
	JPEG		√	8000x8000		.jpg .jpeg	baseline, progressive	
Photo								

ArtNr: EL-7012-HAIER



ArtNr: EL-7012-HAIER

