ArtNr: AC-1010MF-IPS-480P

MAIN FEATURES:

- AutoStart by plug in power-adapter
- 10.1inch LCD panel 1280*720 pixels
- HDMI In Monitor Function
- Internal SD videoplayer 480P
- Metal Housing for built-in purpose
- Internal Speakers
- 3.5mm Jack output (optional)
- Thin housing
- Power adapter with 2.5meter cable
- Usage up to 14 hours per day
- Additional features for interactivity

MAIN PURPOSE:

- Digital Signage Display /Advertisement Display
- Built-in ShopDisplays

USAGE:

This professional Monitor has HDMI IN to connect it to an external player (Windows PC, Raspberry Pi, Android Player). You can use it as a signage screen. Show your dynamic content from your external player. If you have an "online" system on your player, you can push your content remotely to your player and send it to the screen. We can also provide with such online software system. These monitors are Auto-Power ON. The HD player can start from SD or usb. The timer function can be used for automatic On-Off.

OPTIONAL: Multi Functions

The mainboard can be turned into a multi-functionboard, several in-outputs can be added, and software can be made Tailormade. Example features:

- Trigger buttons for selection video / volume combined with LED lighting
- Output for LED lightning 5/12V
- Motion Sensor / Tilt-up light Sensor
- Multiple Audio Outputs for speakers & headphones
- Input Audio for Mobile phone / iPod (auto-sensing)
- Touchscreen





























Next pages: additional features technical specs and drawing

ArtNr: AC-1010MF-IPS-480P

Additional Feautures for our MediaScreens with a Multi-Function board

We can add extra feautures to the Multi-functionboard which are inside some of our Mediascreens. See the features below. Our engineers can develop the function custommade against your needs.

Very usefull for Instore Display Building!



TRIGGER BUTTONS for activate sound / video / volume / light



external press-buttons + external cable



external Press and Turn button + external cable



capacitive touch buttons + external cables (can be put under 3mm glass plate)



LED Light Pads



LED Light Strips




Customized Membrane press touch pad



Motion sensor



TouchScreen



Input Jack for Mobile Phone Sound



All kind of brackets



External Speakers



External 8D-cell batterybox

Next page: Technical specs & Drawing

ArtNr: AC-1010MF-IPS-480P

TECHNICAL SPECIFICATIONS

Display	Panel	10.1inch LCD Media Player - IPS Panel
	Shell	Open Frame - for built-in purpose
	Resolution	1280*720
	Contrast ratio	800:1
	Brightness	400cd m ²
	Viewing angles:	80/80/80/80 (L/R/U/D)
	Aspect Ratio	16:10
Interface	Card slot	SD Card
	USB Host	USB Host 2.0
	HDMI	HDMI Input
	Power Jack	DC 12V/1.5A power input
	Head phone	3.5mm Jack output (optional)
Sound System	Speaker	$2x2W/8\Omega$ internal speakers
VIDEO		1) AVI (XVID. H.264)
	Video format	2) MPEG-1 H.264
	(Max 720*576)	3) MPEG 2 H.264
		4) MOV (XVID. H.264)
AUDIO	Audio format	MP3
PHOTO	Photo	JPEG
	Other	Automatic slide show playback
		Playback speed adjustment interval setup
Standard	HDMI	HDMI In - Monitor Function
Functions	Loop	Continuous loop demo video
Optional functions	Trigger Buttons	Push- and Touchbuttons, Press&Turn button
	Sensors	Motion sensor or Lift sensor to activatie videos
	Speakers	External Speakers
	Batterybox	8D-Cell Batterybox for battery operated power
	Audio out	Multiple Jacks 3.5 / Coax / Digital Sound
	Jack Input	Jack Input for mobile phone / mp3-player sound
	Software	Software adjustments for your needs
	LED	LED strips, LED light pads
	Output Voltage	(multiple) Output 12V (5V), f.i. for LED lighting
	Touchscreen	Transistive TouchScreen
Others	Accessories:	Adaptor, Remote Control
	Color:	Black Housing
	Brackets:	Optional several brackets available

Next page: Drawing

ArtNr: AC-1010MF-IPS-480P

