

PRODUCT SHEET

Android Display

11.6inch Android Touch Display - OS8.1- RK3288

ArtNr: EL-1172AIO-T

MAIN FEATURES:

- AutoStart by plug in power-adapter
- LCD panel 1366 x 768 pixels
- 10 points Capacitive Touchscreen
- Internal HD videoplayer 1080P
- Rooted Android 8.1 / RK3288
- Internet access by WIFI / LAN (opt. 3G)
- Internal Speakers 2x2 W
- 3.5mm Jack output
- Thin housing
- Remote Control
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- Screw Holes for hangup / built-in
- Optional: PoE function




MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay



Internet access by:



USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people in an attractive way.



SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Several kinds of brackets for hangup.



Next pages: technical specs and drawing

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

PRODUCT SHEET

Android Display

11.6inch Android Touch Display - OS8.1- RK3288

ArtNr: EL-1172AIO-T

SPECIFICATIONS:

System	CPU	RK3288,Octa-core cortex A53,1.5G
	RAM	2GB
	Internal memory	16GB
	Operation system	Android 5.1 / 6.0 / 8.1
	Touch screen	10-Point capacitive touch
Display	Panel	11.6"LCD panel
	Resolution	1366*768
	Active area	256.125(H)x144mm(V)
	Display mode	Normally white
	Viewing angle	85/85/85/85(L/R/U/D)
	Contrast ratio	500
	Luminance	220cd/m2
	Aspect Ratio	16:9
Network	WiFi	802.11b/g/n
	Ethernet	10M/100M ethernet
	Buletooth	Bluetooth 4.0
Interface	Card slot	SD card
	USB x 3	USB Host
	Micro USB	Micro USB OTG
	HDMI	HDMI output
	RJ45	RJ45 with POE (Power over Ethernet Cable)
	Power jack	DC power input
	Earphone	3.5mm earphone
Media play	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p
	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
Other	Battery	5000mah/3.7V
	VESA	75x75mm
	Speaker	2*1.5W
	Camera	2.0M/P,Front camera
	MIC	Built-in MIC
	Language	Multi-language
Accessories	Adapter	Adapter,12V/2A
	User manual	yes

Unit (Without packaging)			Giftbox (With Packaging)			Carton 10pcs/CTN		
L	W	H	L	W	H	L	W	H
289.1mm	186.8mm	30.5mm	420mm	230mm	65mm	435mm	350mm	480mm
Net(kg)			Net(kg)		1.07kg	Net		12.32kg
						G.W		

Next page Drawing

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

PRODUCT SHEET

Android Display

11.6inch Android Touch Display - OS8.1- RK3288

ArtNr: EL-1172AIO-T

DRAWINGS

