

PRODUCT SHEET

Android Display

14inch Android Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-1412AIO-T

MAIN FEATURES:


- 14inch LCD panel 1920x1080 pixels
- Capacitive touch
- Internal HD videoplayer 1080P
- AutoStart by plug in power-adapter
- Rooted Android 5.1 / 6.0 / 8.1 - RK3288
- Internet access by WiFi and LAN
- Optional 3G dongle
- Internal Speakers 2x2 W
- 3.5mm Jack output
- Thin housing
- Remote Control
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- Screw Holes for hangup / built-in
- Optional: PoE function



MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

Internet access by:



USAGE:

This Android touch Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. RSS Feed and "SbEND signage.

OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 7 / 10 /11.6/ 14 / 15.6 /17.3/ 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup.



Next pages: technical specs and drawing

PRODUCT SHEET

Android Display

14inch Android Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-1412AIO-T

SPECIFICATIONS:

System	CPU	Quad Core cortex A9, 1.6G, RK3288
	RAM	1GB
	Internal Memory	8GB
	Operation system	Android 5.1
	Touch screen	NO
Display	Panel	14" LCD IPS Panel
	Resolution	1920 x 1080
	Active area	309.312 (H) x 173.988 (V)
	Display mode	Normally black IPS
	Viewing angle	85/85/85/85 (L/R/U/D)
	Contrast ratio	700
Network	Luminance	250cdm ²
	Aspect Ratio	16:9
	WiFi	802.11 b/g/n
	3G dongle	Optional 3G USB dongle
	Ethernet	10M/100M
	Bluetooth	Bluetooth 4.0
Interface	Card slot	SD, Support up to 32GB
	USB Device	Mini USB OTG
	USB Host x3	USB Host 2.0
	Power Jack	DC power input
	HDMI	HDMI output
	RJ45	RJ45
	Earphone	3.5mm earphone
	Video format	MPEG-1 MPEG-2 MPEG-4 H.263 H.264 VC1 RV support up to 1080p
	Audio format	MP3 WMA AAC etc.
	Photo	jpeg
Accessories	Wall mounting bracket	100mm x 100mm wall mounting
	Speaker	2x2 W
	Language	Multi-language
	Adapter	Adapter, 12V / 3A
	User manual	Yes

Unit (Without packaging)			Giftbox (With Packaging)			Carton 5pcs/CTN		
L	W	H	L	W	H	L	W	H
343mm	220mm	25mm	372mm	78mm	325mm	420mm	387mm	350mm
Net(kg)	1.1KG		Net(kg)			Net	8,5kg	
						G.W	9,5kg	

Next page Drawing

PRODUCT SHEET

Android Display

14inch Android Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-1412AIO-T

