PRODUCT SHEET

Android Display

17,3inch Android Non Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-1732AIO

MAIN FEATURES:

- Non Touch Screen
- AutoStart by plug in power-adapter
- LCD panel 1920*1080 pixels
- Internal HD videoplayer 1080P
- Rooted Android 5.1 / 6.0 / 8.1 RK3288
- Internet access by WIFI / LAN (opt. 3G)
- Internal Speakers
- 3.5mm Jack output
- Thin housing
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- ScrewHoles for hangup / built-in
- Optional: PoE function'



- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people on an attractive way.

SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal memory can be upgraded.
- Similar sizes available: 7 / 10 / 14 / 15.6 / 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup
















Internet access by:









PRODUCT SHEET Android Display 17,3inch Android Non Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-1732AIO

SPECIFICATIONS:

	CPU	Quad core cortex A17,1.8G,RK3288		
System	RAM	2GB		
	Internal memory	16GB		
	Operation System	Android 5.1 / 6.0 / 8.1		
	Touch Screen	Non Touch		
	Panel	Full HD 17.3"LCD panel,IPS		
	Resolution	1920*1080		
	Active area	381.89(H)x214.81mm(V)		
Diopley	Viewing angle	85/85/85(L/R/U/D)		
Display	Display mode	Normally black,IPS		
	Contrast ratio	800		
	Luminance	250cdm2(min)		
	Aspect Ratio	,16:9		
Network	WiFi	802.11b/g/n		
	Ethernet	100M/1000M Ethernet		
	Bluetooth	Bluetooth 4.0		
	Card slot	SD,Support up to 32GB		
	USB Device	Mini USB OTG		
	USB Hostx2	USB Host 2.0		
luta efa a a	Serial port	4P-2.0mm		
Interface	Power Jack	DC power input		
	RJ45	Ethernet		
	HDMI	HDMI output		
	Earphone	3.5mm earphone		
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p		
Media plays	Audio format	MP3/WMA/AAC etc.		
	Photo	jpeg		
	Wall mounting bracket	100mm*100mm wall mounting		
	Power consumption	20W		
	Speaker	2*2W		
045	Camera	2.0M/P,Front camera		
Other	Micphone	yes		
	Language	Multi-language		
	Working temp	040 degree		
	Certificates	CE/FCC/RoHS		
	Adapter	Adapter,12V/3A		
Accessories	User manual	yes		

Product Measurement, mm											
Unit (without packaging)			Giftbox (With Packaging) 1pc			Carton 5pc/ctn					
L	W	Н	L	W	Н	L	W	Н			
			453	87	360	468	455	380			
Net(kg)		Net(kg)			Net(kg)						

G.W.

17,3inch Android Non Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-1732AIO

