PRODUCT SHEET Android Display 18.5inch Android Non Touch Display - OS5.1 / 6.0 / 8.1 - RK3288 ArtNr: EL-1852AIO

MAIN FEATURES:

- Non Touch Screen
- AutoStart by plug in power-adapter
- LCD panel 1366*768 pixels
- Internal HD videoplayer 1080P
- Rooted Android 5.1 / 6.0 / 8.1 RK3288
- Internet access by WIFI (opt. 3G / LAN)
- Internal Speakers
- 3.5mm Jack output
- Thin housing
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- ScrewHoles for hangup / built-in
- Optional: PoE function

MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people on an attractive way.

SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal memory can be upgraded.
- Similar sizes available: 7 / 8 / 10 / 11.6 / 14 / 15.6 / 17.3 / 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup







Internet access by:







Next pages: technical specs and drawing

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

PRODUCT SHEETAndroid Display18.5inch Android Non Touch Display - OS5.1 / 6.0 / 8.1 - RK3288ArtNr: EL-1852AIO

	CPU	Quad core cortex A17,1.8G,RK3288		
System	RAM	2GB		
	Internal memory	16GB		
	Operation System	Android 5.1 / 6.0 / 8.1		
	Touch	Non Touch		
	Panel	18.5"LCD HD panel		
	Resolution	1366*768		
	Active area	409.8 (H)X230.4mm(V)		
D : 1	Viewing angle	89/89/89/89(L/R/U/D)		
Display	Display mode	IPS, normally black		
	Contrast ratio	1000		
	Luminance	250cdm2		
	Aspect Ratio	.16:9		
	WiFi	802.11b/g/n		
	3G	3G USB dongle ext.		
Network	Ethernet	100M/1000M Ethernet		
	Bluetooth	Bluetooth 4.0		
	Card slot	SD,Support up to 32GB		
	USB Device	Mini USB OTG		
	USB Hostx3	USB Host 2.0		
Interface	Power Jack	DC power input		
	RJ45	Ethernet		
	HDMI	HDMI output		
	Earphone	3.5mm earphone		
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p		
Media plays	Audio format	MP3/WMA/AAC etc.		
	Photo	jpeg		
	Speaker	2*3W		
	Camera	2.0MP.Front		
	Micphone	Ves		
	VESA	75x75mm		
	Language	Multi-language		
	Working temp	040 degree		
	Certificates	CE/FCC/RoHS		
	Adapter	Adapter, 12V, 3A		
Accessories	User manual	yes		

Product Measurement, mm											
Unit (without packaging)			Giftbox (With Packaging) 1pc			Carton 3pc/ctn					
L	W	Н	L	W	Н	L	W	Н			
468	288	38	528	110	395	543	363	415			
Net(kg) 2.7			Net(kg) 4.0			Net(kg) 12					
						G.W. 13 K	G				

Next page Drawing

PRODUCT SHEETAndroid Display18.5inch Android Non Touch Display - OS5.1 / 6.0 / 8.1 - RK3288ArtNr: EL-1852AIO

