## PRODUCT SHEET

## Android Display

## 21.5inch Android Non Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-2152AIO

### MAIN FEATURES:

- Non Touch Screen
- AutoStart by plug in power-adapter
- LCD panel 1920\*1080 pixels
- Internal HD videoplayer 1080P
- Rooted Android 5.1 / 6.0 / 8.1 RK3288
- Internet access by WIFI (opt. 3G / LAN)
- Internal Speakers
- 3.5mm Jack output
- Thin housing
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- ScrewHoles for hangup / built-in
- Optional: PoE function

### MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

### **USAGE:**

This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people on an attractive way.

### SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

### **OPTIONAL:**

- We can install your software on the devices for larger order quantities.
- Internal memory can be upgraded.
- Similar sizes available: 7 / 10 / 14 / 15.6 / 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup














### Internet access by:











Next pages: technical specs and drawing

## PRODUCT SHEET

# Android Display

# 21.5inch Android Non Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-2152AIO

### SPECIFICATIONS;

System	CPU	Quad core cortex A17,1.8G,RK3288
	RAM	2GB
	Internal memory	16GB
	Operation system	Android 5.1 / 6.0 / 8.1
	Touch	Non Touch
	Panel	21.5"LCD full HD panel
	Resolution	1920*1080
	Active area	474.64 (H)x 268.11 mm(V)
Diamlass	Viewing angle	89/89/89(L/R/U/D)
Display	Display mode	Nomally black ,IPS
	Contrast ratio	1000
	Luminance	250cdm2
	Aspect Ratio	,16:9
	WiFi	802.11b/g/n
Network	3G	3G USB dongle ext.
Network	Ethernet	100M/1000M Ethernet
	Bluetooth	Bluetooth 4.0
	Card slot	SD,Support up to 32GB
	USB Device	Mini USB OTG
	USB Hostx3	USB Host 2.0
Interface	Power Jack	DC power input
	RJ45	Ethernet
	HDMI	HDMI output
	Earphone	3.5mm earphone
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p
Media plays	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
	Speaker	2*3W
	VESA	100x100mm
	Camera	2.0MP,Front
Other	Micphone	yes
	Language	Multi-language
	Working temp	040degree
	Certificates	CE/FCC/RoHS
	Adapter	Adapter,12V,3A
Accessories	User manual	yes

Product Measurement, mm											
Unit (without packaging)			Giftbox (With Packaging) 1pc			Carton 2pc/ctn					
L	W	Н	L	W	Н	L	W	Н			
538	331	37	600	120	425	617	260	445			
Net(kg) 3.6			Net(kg) 5.3			Net(kg) 10.6					


G.W. 11.6 KG

## PRODUCT SHEET

# Android Display

21.5inch Android Non Touch Display - OS5.1 / 6.0 / 8.1 - RK3288

ArtNr: EL-2152AIO



Speaker

VESA