

PRODUCT SHEET

Android Display

24inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-2403AIO-T

MAIN FEATURES:


- 10 point Capacitive Touchscreen
- AutoStart by plug in power-adapter
- LCD panel 1920*1080 pixels - IPS
- Internal HD videoplayer 1080P
- Rooted Android 7.1 / 9.0 - RK3399
- Internet access by WIFI / LAN (opt. 3G)
- Internal Speakers
- 3.5mm Jack output
- Thin housing
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- ScrewHoles for hangup / built-in



MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

Internet access by:



USAGE:


This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people on an attractive way.

SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal memory can be upgraded.
- Similar sizes available: 14 / 15.6 / 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup



Next pages: technical specs and drawing

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

PRODUCT SHEET

Android Display

24inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-2403AIO-T

SPECIFICATIONS:

System	CPU	Dual-core A72+quad-core A53,2.0G,RK3399		
	RAM	2GB		
	Internal memory	16GB		
	Operation system	Android 7.1 / 9.0		
Display	Touch screen	10-Point capacitive touch screen		
	Panel	24"LCD full HD screen,LED backlight		
	Resolution	1920*1080		
	Active area	527.04(H)x296.46mm(V)		
	Display mode	Normally back,IPS		
	Viewing angles	89/89(H),89/89(V)		
	Contrast ratio	1000		
	Luminance	250cdm2		
	Aspect Ratio	16:9		
Network	WiFi	802.11b/g/n/ac, 2.4G+5G		
	3G dongle	3G USB dongle ext.		
	Ethernet	100M/1000M Ethernet		
	Bluetooth	Bluetooth 4.0		
Interface	Card slot	SD,Support up to 32GB		
	USB Device	Mini USB OTG		
	USB Hostx2	USB Host 2.0		
	Power Jack	DC power input		
	RJ45	Ethernet		
	HDMI	HDMI output		
Media plays	Earphone	3.5mm earphone		
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,RV etc.,support up to 1080p		
	Audio format	MP3/WMA/AAC etc.		
Others	Photo	jpeg		
	Power consumption	35W		
	Wall mounting	VESA,100x100mm		
	Speaker	2*3W		
	Language	Multi-language		
	Working temp	0--40degree		
	Certificates	CE/FCC/RoHS		
Accessories	Adapter	Adapter,12V,4A		
		User manual		
		Stand		

Unit (Without packaging)			Giftbox (With Packaging)			Carton 2cps/CTN		
L	W	H	L	W	H	L	W	H
580mm	349.2mm	32.5mm	655mm	115mm	455mm	670mm	250mm	480mm
Net(kg)	4.8kg		Net(kg)	6.6kg		Net	13.2kg	
						G.W	14.2kg	

Next page Drawing

PRODUCT SHEET

Android Display

24inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-2403AIO-T

DRAWINGS

