

# PRODUCT SHEET


Android Display

21.5inch Medical Android Display Non Touch - OS8.1 - RK3288

ArtNr: EL-2132AIO-MED-WH

## MAIN FEATURES:

- Non Touch
- LCD panel 1920x1080 pixels
- Internal HD videoplayer 1080P
- Rooted Android 8.1 / RK3288
- Internet access by WIFI + LAN (opt. 3G)
- Internal Speakers 2 x 2 W
- 3.5mm Jack output
- Thin housing
- Micro USB host
- Power adapter with 3meter cable
- Usage up to 24 hours per day




## MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay



## Internet access by:



## USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

## SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

## OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.



Next pages: technical specs and drawing

*All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.*

# PRODUCT SHEET

Android Display

21.5inch Medical Android Display Non Touch - OS8.1 - RK3288

ArtNr: EL-2132AIO-MED-WH

## SPECIFICATIONS:

<b>System</b>	CPU	Quad core cortex A17,1.8G,RK3288
	RAM	2GB
	Internal memory	16GB
	Operation system	Android 8.1
	Touch	Non Touch
<b>Display</b>	Panel	21.5"LCD full HD panel
	Resolution	1920*1080
	Active area	474.64 (H)x 268.11 mm(V)
	Viewing angle	89/89/89/89(L/R/U/D)
	Display mode	Normally black ,IPS
	Contrast ratio	1000
	Luminance	250cdm2
<b>Network</b>	Aspect Ratio	,16:9
	WiFi	802.11b/g/n
	Ethernet	100M/1000M Ethernet
<b>Interface</b>	Bluetooth	Bluetooth 4.0
	Card slot	SD,Support up to 32GB
	USB Device	Mini USB OTG
	USB Host	USB 2.0
	USB Hostx2	USB Host 2.0
	USB Hostx2	Serial port,RS232
	Power Jack	DC power input
	RJ45	Ethernet
	HDMI	HDMI output
<b>Media plays</b>	Earphone	3.5mm earphone
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K
	Audio format	MP3/WMA/AAC etc.
<b>Other</b>	Photo	jpeg
	Speaker	2*3W
	Touch key	Power/volum+/Volum-
	VESA	100x100mm
	Micphone	yes
	Language	Multi-language
<b>Accessories</b>	Certificates	
	Adapter	Adapter,12V,3A
	User manual	yes

Unit (Without packaging)			Giftbox (With Packaging)			Carton 2pcs/CTN		
L	W	H	L	W	H	L	W	H
504.5mm	302mm	31.8mm	580mm	125mm	375mm	595mm	270mm	393mm
Net(kg)			Net(kg)			Net		
						G.W		

Next page Drawing

# PRODUCT SHEET

Android Display

21.5inch Medical Android Display Non Touch - OS8.1 - RK3288

ArtNr: EL-2132AIO-MED-WH

## DRAWINGS:

