

# PRODUCT SHEET

## Android Counter Display

### 14inch Android Display Touch - OS8.1 - RK3288

ArtNr: EL-1412AIO-T-CD

#### MAIN FEATURES:

- Capacitive touchscreen
- LCD panel 1920x1080 pixels
- Internal HD videoplayer 1080P
- CounterStand
- Rooted Android OS5.1/6.0/8.1
- Chip RK3288
- Internet access by WIFI + LAN (opt. 3G)
- Internal Speakers 2 x 1 W
- 3.5mm Jack output
- Thin housing
- USB host
- Power adapter with 3meter cable
- Usage up to 24 hours per day

#### MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

#### USAGE:


This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

#### SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

#### OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 7 / 10.1 / 15.6 / 17.3inch.
- Non Touch
- NFC RFID
- Internal Battery
- PoE Function



#### Internet access by:



Next pages: technical specs and drawing

*All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.*

# PRODUCT SHEET

## Android Counter Display

### 14inch Android Display Touch - OS8.1 - RK3288

ArtNr: EL-1412AIO-T-CD

#### SPECIFICATIONS:

<b>System</b>	CPU	Quad core cortex A17,1.8G,RK3288
	RAM	2GB
	Internal memory	16GB
	Operation system	Android 8.1
	Touch screen	10-Point capacitive touch
<b>Display</b>	Panel	14"LCD panel
	Resolution	1920*1080
	Viewing angle	80/80/80/80
	Contrast ratio	800
	Luminance	250cd/m2
	Aspect Ratio	,16:9
<b>Network</b>	WiFi	802.11b/g/n
	Ethernet	RJ45,100M/1000M
	Bluetooth	Bluetooth 4.0
<b>Interface</b>	Card slot	TF,support up to 32GB
	USB	USB slave
	USB	USB host x2
	HDMI	HDMI output,up to 4K
	Power jack	DC power input
	Earphone	3.5mm earphone with microphone
	Serial port	USB type serial port(RS232)
	RJ45	RJ45,100M/1000M (POE function,optional, IEEE802.3at)
<b>Media play</b>	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 4K
	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
<b>Other</b>	NFC	Optional ,NFC 13.56MHz, ISO14443A/ISO14443B/ISO 15693/Mifare classic/Sony felica
	4G LTE	Optional
	Microphone	Microphone
	Speaker	2*2W
	Camera	2.0M/P,front camera(optional Binocular camera)
	Language	Multi-language
	Color	White/black
<b>Accessories</b>	Adapter	Adapter,12V/2A
	User manual	yes

#### Product Measurement, mm

Unit (Without packaging)			Giftbox (With Packaging)			Carton 4pcs/CTN		
L	W	H	L	W	H	L	W	H
349.2mm	112.26mm	239mm	409mm	290mm	130mm	541mm	424mm	310mm
Net(kg)	1.2KG		Net(kg)	KG		Net	KG	
						G.W		

Next page Drawing

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

# PRODUCT SHEET

## Android Counter Display

14inch Android Display Touch - OS8.1 - RK3288

ArtNr: EL-1412AIO-T-CD

### DRAWINGS:

