PRODUCT SHEET

14.9 inch MonitorScreen ClosedFrame

ArtNr: AC-149MH-HD

MAIN FEATURES:

- AutoStart by plug in power-adapter
- 14.9inch LCD panel 1280*390pixels
- HDMI IN Monitor Function
- Internal Speakers
- 3.5mm Jack output (optional)
- Thin housing
- Power adapter with 2.5meter cable
- Usage up to 14 hours per day
- Addional features for interactivity



- Digital Signage Display /Advertisement Display
- Built-in ShopDisplays













USAGE:

This professional Monitor has HDMI IN to connect it to an external player (Windows PC, Raspberry Pi, Android Player). You can use it as a signage screen. Show your dynamic content from your external player. If you have an "online" system on your player, you can push your content remotely to your player and send it to the screen. We can also provide with such online software system. These monitors are Auto-Power ON. The HD player can start from SD or usb. The timer function can be used for automatic On-Off.



OPTIONAL: Multi Functions

The mainboard can be turned into a multi-functionboard. serveral in-outputs can be added, and software can be made Tailormade. Example features:

- Trigger buttons for selection video / volume combined with LED lighting
- Output for LED lightning 5/12V
- Motion Sensor / Tilt-up light Sensor
- Multiple Audio Outputs for speakers & headphones
- Input Audio for Mobile phone / iPod (auto-sensing)
- Touchscreen













Next pages: addtiononal faatures technical specs and drawing

PRODUCT SHEET

14.9 inch MonitorScreen ClosedFrame

ArtNr: AC-149MH-HD

Additional Feautures for our MediaScreens with a Multi-Function board

We can add extra feautures to the Multi-functionboard which are inside some of our Mediascreens. See the features below. Our engineers can develop the function custommade against your needs.

Very usefull for Instore Display Building!



TRIGGER BUTTONS for activate sound / video / volume / light



external press-buttons + external cable



external Press and Turn button + external cable



capacitive touch buttons + external cables (can be put under 3mm glass plate)



LED Light Pads



LED Light Strips




Customized Membrane press touch pad



Motion sensor



TouchScreen



Input Jack for Mobile Phone Sound



All kind of brackets



External Speakers



External 8D-cell batterybox

Next page: Technical specs & Drawing

PRODUCT SHEET 14.9 inch MonitorScreen ClosedFrame

ArtNr: AC-149MH-HD

TECHNICAL SPECIFICATIONS

Display	Panel	14.9inch LCD Media Player
	Shell	Enclosed Housing
	Resolution	1280*390
	Contrast ratio	500:1
	Brightness	300cd m ²
	Viewing angles:	45/70/80/80 (U/D/L/R)
	Aspect Ratio	
Interface	Card slot	SD Card
	USB Host	USB Host 2.0
	HDMI	HDMI Input - Monitor Function
	Power Jack	DC 12V/1.5A power input
	Head phone	3.5mm Jack output
Sound System	Speaker	$2x2W/8\Omega$ internal speakers
VIDEO	Video format	1) AVI (XVID. H.264)
		2) MPEG-1 H.264
		3) MPEG 2 H.264
		4) MOV (XVID. H.264)
AUDIO	Audio format	MP3
РНОТО	Photo	JPEG
	Other	Automatic slide show playback
		Playback speed adjustment interval setup
Standard	HDMI	HDMI Input - Monitor Function
Functions	Loop	Continuous loop demo video
Optional functions	Trigger Buttons	Push- and Touchbuttons, Press&Turn button
	Sensors	Motion sensor or Lift sensor to activatie videos
	Speakers	External Speakers
	Batterybox	8D-Cell Batterybox for battery operated power
	Audio out	Multiple Jacks 3.5 / Coax / Digital Sound
	Jack Input	Jack Input for mobile phone / mp3-player sound
	Software	Software adjustments for your needs
	LED	LED strips, LED light pads
	Output Voltage	(multiple) Output 12V (5V), f.i. for LED lighting
	Touchscreen	Transistive TouchScreen
Others	Accessories:	Adaptor, Remote Control
	Color:	Black Housing

Next page: Drawing

PRODUCT SHEET

14.9 inch MonitorScreen ClosedFrame

ArtNr: AC-149MH-HD

DRAWING

