### PRODUCT SHEET

### Android Display

## 14inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-1413AIO-T

#### MAIN FEATURES:

- 14inch LCD panel 1920x1080 pixels
- Capacitive touch
- Internal HD videoplaver 1080P
- AutoStart by plug in power-adapter
- Rooted Android 7.1 / 9.0 RK3399
- Internet access by WiFi and LAN
- Optional 3G dongle
- Internal Speakers 2x2 W
- 3.5mm Jack output
- Thin housing
- Remote Control
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- Screw Holes for hangup / built-in
- Optional: PoE function

#### MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

#### **USAGE:**

This Android touch Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

#### SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. RSS Feed and "SbEND signage.

#### **OPTIONAL:**

- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 7 / 10 /11.6/ 14 / 15.6 /17.3/ 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup.















### Internet access by:



















Next pages: technical specs and drawing

## PRODUCT SHEET

## Android Display

# 14inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-1413AIO-T

#### SPECIFICATIONS:


System	CPU	Dual-core A72+quad-core A53,2.0G,RK3399		
	RAM	2GB		
	Internal memory	16GB		
	Operation system	Android 7.1 / 9.0		
	Touch screen	10-Point capacitive touch		
	Panel	14"LCD IPS panel		
	Resolution	1920*1080		
	Active area	309.312(H)x 173.988(V)		
Diaminu	Display mode	Normally black,IPS		
Display	viewing angle	85/85/85(L/R/U/D)		
	Contrast ratio	700		
	Luminance	250cdm2		
	Aspect Ratio	,16:9		
	WiFi	802.11b/g/n/ac, 2.4G+5G		
	3G dongle	3G USB dongle ext.		
Network	Ethernet	100M/1000M		
	Bluetooth	Bluetooth 4.0		
	Card slot	SD,Support up to 32GB		
	USB Device	Mini USB OTG		
	USB Host x 3	USB Host 2.0		
Interface	Power Jack	DC power input		
	HDMI	HDMI output		
	RJ45	RJ45		
	Earphone	3.5mm earphone		
Media plays	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080		
	Audio format	MP3/WMA/AAC etc.		
	Photo	ipeg		
	Wall mounting bracket	100mm*100mm wall mounting		
	Speaker	2*2W		
	Camera	2.0M/P,Front camera		
	Micphone	yes		
	Language	Multi-language		
	Working temp	040degree		
	Certificates	CE/FCC/RoHS		
	Adapter	Adapter,12V/1.5A		
Accessories	User manual	yes		

Unit (Without packaging)			Giftbox (With Packaging)			Carton 5pcs/CTN		
L	W	H	L	W	Н	L	W	Н
342.7mm	220mm	25mm	372mm	78mm	325mm	412mm	387mm	345mm
Net(kg)	1.06kg		Net(kg)	2.08kg		Net	9.6kg	
						G.W	10.6kg	

| Speaker

# 14inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-1413AIO-T



Speaker

VESA