PRODUCT SHEET Android Display 15.6inch Android Non Touch Display - OS7.1 / 9.0 - RK3399 ArtNr: EL-1563AlO

MAIN FEATURES:

- AutoStart by plug in power-adapter
- LCD panel 1920x1080 pixels
- Internal HD videoplayer 1080P
- Rooted Android 7.1 / 9.0 RK3399
- Internal Speakers 2x2 W
- 3.5mm Jack output
- Thin housing
- Remote Control
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- Screw Holes for hangup / built-in
- Optional: PoE function

MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people in an attractive way.

SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

OPTIONAL:


- We can install your software on the devices for larger order quantities.
- Internal Memory can be upgraded.
- Similar sizes available: 14 / 15.6 / 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup.







Internet access by:







Next pages: technical specs and drawing

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

I

PRODUCT SHEET Android Display 15.6inch Android Non Touch Display - OS7.1 / 9.0 - RK3399 ArtNr: EL-1563AlO

SPECIFICATIONS:

System	CPU	Dual-core A72+quad-core A53,2.0G,RK3399		
	RAM	2GB		
	Internal memory	16GB		
	Operation System	Android 7.1 / 9.0		
	Touch Screen	Non Touch		
	Panel	Full HD 15.6"LCD panel,IPS		
	Resolution	1920*1080		
	Active area	344.16(H)x193.59mm(V)		
-	Viewing angle	85/85/85/85(L/R/U/D)		
Display	Display mode	Normally black, IPS		
	Contrast ratio	700		
	Luminance	250cdm2		
	Aspect Ratio	,16:9		
	WiFi	802.11b/g/n/ac,2.4G+5G		
	3G dongle	3G USB dongle ext.		
Network	Ethernet	100M/1000M Ethernet		
	Bluetooth	Bluetooth 4.0		
	Card slot	SD,Support up to 32GB		
	USB Device	Mini USB OTG		
	USB Hostx3	USB Host 2.0		
Interface	Power Jack	DC power input		
	RJ45	Ethernet		
	HDMI	HDMI output		
	Earphone	3.5mm earphone		
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080p		
Media plays	Audio format	MP3/WMA/AAC etc.		
	Photo	jpeg		
	Wall mounting bracket	100mm*100mm wall mounting		
	Speaker	2*2W		
	Camera	2.0M/P,Front camera		
Other	Micphone	yes		
	Language	Multi-language		
	Working temp	040 degree		
	Certificates	CE/FCC/RoHS		
	Adapter	Adapter,12V/3A		
Accessories	User manual	yes		

Unit (Without packaging)			Giftbox (With Packaging)			Carton 4pcs/CTN		
L	W	Н	L	W	Н	L	W	Н
388mm	245mm	27mm	475mm	295mm	85mm	490mm	360mm	313mm
Net(kg)	1.3KG		Net(kg)	2.2KG		Net	8.8KG	
						G.W	9.8KG	

PRODUCT SHEET

15.6inch Android Non Touch Display - OS7.1 / 9.0 - RK3399 ArtNr: EL-1563AlO

