PRODUCT SHEET

Android Display

18.5inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-1853AIO-T

MAIN FEATURES:

- Touch Screen / RK3399
- AutoStart by plug in power-adapter
- LCD panel 1366*768 pixels
- Internal HD videoplayer 1080P
- Rooted Android 7.1 / 9.0 RK3399
- Internet access by WIFI /LAN (opt. 3G)
- Internal Speakers
- 3.5mm Jack output
- Thin housing
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- ScrewHoles for hangup / built-in
- Optional: PoE function



- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay

USAGE:

This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people on an attractive way.

SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal memory can be upgraded.
- Similar sizes available: 13.3 / 14 / 15.6 / 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup




























Next pages: technical specs and drawing

PRODUCT SHEET

Android Display

18.5inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-1853AIO-T

SPECIFICATIONS:

System	CPU	Dual-core A72+quad-core A53,2.0G,RK3399		
	RAM	2GB		
	Internal memory	16GB		
	Operation System	Android 7.1 / 9.0		
	Touch	10-Point capacitive touch		
	Panel	18.5"LCD HD panel		
	Resolution	1366*768		
	Active area	409.8 (H)X230.4mm(V)		
Discolor	Viewing angle	89/89/89(L/R/U/D)		
Display	Display mode	IPS, normally black		
	Contrast ratio	1000		
	Luminance	250cdm2		
	Aspect Ratio	.16:9		
Network	WiFi	802.11b/g/n/ac, 2.4G+5G		
	3G	3G USB dongle ext.		
	Ethernet	100M/1000M Ethernet		
	Bluetooth	Bluetooth 4.0		
	Card slot	SD,Support up to 32GB		
	USB Device	Mini USB OTG		
	USB Hostx3	USB Host 2.0		
Interface	Power Jack	DC power input		
	RJ45	Ethernet		
	HDMI	HDMI output		
	Earphone	3.5mm earphone		
	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,VC1,RV etc.,support up to 1080		
Media plays	Audio format	MP3/WMA/AAC etc.		
	Photo	jpeg		
	Speaker	2*3W		
	Camera	2.0MP,Front		
	Micphone	yes		
	VESA	75x75mm		
	Language	Multi-language		
	Working temp	040 degree		
	Certificates	CE/FCC/RoHS		
	Adapter	Adapter,12V,3A		
Accessories				

Unit (Without packaging)			Giftbox (With Packaging)			Carton 3pcs/CTN		
L	W	Н	L	W	Н	L	W	Η
468mm	288mm	38mm	528mm	110mm	395mm	545mm	350mm	415mm
Net(kg)	2.7KG		Net(kg)	4.0KG		Net	12KG	
						G.W	13KG	

18.5inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-1853AIO-T

DRAWINGS

