

# PRODUCT SHEET

Android Display

## 27inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-2703AIO-T

### MAIN FEATURES:

- Capacitive Touch Screen
- AutoStart by plug in power-adapter
- LCD panel 1920\*1080 pixels - IPS
- Internal HD videoplayer 1080P
- Rooted Android 7.1 / 9.0 - RK3399
- Internet access by WIFI / LAN (opt. 3G)
- Internal Speakers
- 3.5mm Jack output
- Thin housing
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- ScrewHoles for hangup / built-in



### MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay



### Internet access by:



### USAGE:


This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people on an attractive way.

### SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

### OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal memory can be upgraded.
- Similar sizes available: 13.3 / 14 / 15.6 / 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup



Next pages: technical specs and drawing

*All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.*

# PRODUCT SHEET

Android Display

27inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-2703AIO-T

## SPECIFICATIONS

<b>System</b>	CPU	Dual-core A72+quad-core A53,2.0G,RK3399
	RAM	2GB
	Internal memory	16GB
	Operation system	Android 7.1 / 9.0
	Touch screen	10-Point capacitive touch screen
<b>Display</b>	Panel	27"LCD full HD screen,LED backlight
	Resolution	1920*1080
	Active area	597.6(H)*336.15mm(V)
	Display mode	Normally black,IPS
	Viewing angles	89/89(H),89/89(V)
	Contrast ratio	1000
	Luminance	250cdm2
	Aspect Ratio	,16:9
<b>Network</b>	WiFi	802.11b/g/n/ac, 2.4G+5G
	3G dongle	3G USB dongle ext.
	Ethernet	100M/1000M Ethernet
	Bluetooth	Bluetooth 4.0
<b>Interface</b>	Card slot	SD,Support up to 32GB
	USB Device	Mini USB OTG
	USB Hostx2	USB Host 2.0
	Power Jack	DC power input
	RJ45	Ethernet
	HDMI	HDMI output
	Earphone	3.5mm earphone
<b>Media plays</b>	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,RV etc.,support up to 1080p
	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
<b>Others</b>	Power consumption	40W
	Wall mounting	VESA,100x100mm
	Speaker	2*3W
	Language	Multi-language
	Working temp	0--40degree
	Certificates	CE/FCC/RoHS
	Adapter	Adapter,12V,4A
<b>Accessories</b>		User manual
		Adapter
		Stand

Unit (Without packaging)			Giftbox (With Packaging)			Carton2pcs /CTN		
L	W	H	L	W	H	L	W	H
654mm	394.2mm	32.5mm	725mm	115mm	490mm	740mm	250mm	515mm
Net(kg)	6.5kg		Net(kg)	8.5kg		Net	17.05kg	
						G.W	18.05kg	

Next page Drawing

# PRODUCT SHEET

Android Display

27inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-2703AIO-T

## DRAWINGS

