

# PRODUCT SHEET

Android Display

## 55inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-5503AIO-T

### MAIN FEATURES:

- Capacitive Touch Screen / RK3399
- AutoStart by plug in power-adapter
- LCD panel 1920\*1080 pixels - IPS
- Internal HD videoplayer 1080P
- Rooted Android 7.1 / 9.0 - RK3399
- Internet access by WIFI / LAN (opt. 3G)
- Internal Speakers
- 3.5mm Jack output
- Thin housing
- Power adapter with 3meter cable
- Usage up to 24 hours per day
- ScrewHoles for hangup / built-in



### MAIN PURPOSE:

- Digital Signage Display
- Advertisement Display
- Built-in ShopDisplays
- Kiosk Display
- CounterDisplay



Internet access by:



### USAGE:


This Android Display can be used in a commercial environment. The Display has Rooted Android operating. This professional display can be used for several solutions to inform / advise people on an attractive way.

### SIGNAGE SOFTWARE:

We can provide several kinds of software apps to play your content, remotely controlled, like our "Signage App: control content by f.i. Dropbox and "SbEND signage.

### OPTIONAL:

- We can install your software on the devices for larger order quantities.
- Internal memory can be upgraded.
- Similar sizes available: 14 / 15.6 / 18.5 / 21.5 / 24 / 27 / 32 / 43 / 55 inch.
- Several kinds of brackets for hangup



Next pages: technical specs and drawing

All rights reserved. Changes to specifications and descriptions may be made at any time without prior notice.

# PRODUCT SHEET

Android Display

55inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-5503AIO-T

## SPECIFICATIONS:

<b>System</b>	CPU	Dual-core A72+quad-core A53,2.0G,RK3399
	RAM	2GB
	Internal memory	16GB
	Operation system	Android 7.1 / 9.0
	Touch screen	10-Point ,G+G
<b>Display</b>	Screen	55"LCD 4K screen,LED backlight,IPS
	Resolution	3840*2160
	Display mode	Normally black,IPS
	Active area	1387.8mm,diagonal
	Viewing angles	89/89(H),89/89(V)
	Contrast ratio	1200
	Luminance	300cdm2
	Display mode	Normal black,IPS
<b>Network</b>	WiFi	802.11b/g/n/ac, 2.4G+5G
	Ethernet	100M/1000M Ethernet
	Bluetooth	Bluetooth 4.0
<b>Interface</b>	Card slot	SD,Support up to 32GB
	USB Device	Mini USB OTG
	USB Hostx2	USB Host 2.0
	RJ45	Ethernet
	HDMI	HDMI output
	Earphone	3.5mm earphone
<b>Media plays</b>	Video format	MPEG-1,MPEG-2,MPEG-4,H.263,H.264,RV etc.,support up to 1080p
	Audio format	MP3/WMA/AAC etc.
	Photo	jpeg
<b>Others</b>	Power consumption	120W
	Wall mounting	VESA,400x400mm
	Speaker	2*5W
	Language	Multi-language
	Working temp	0--40degree
	Certificates	CE/FCC/RoHS
	Power	AC100-240V
<b>Accessories</b>		User manual

Unit (Without packaging)			Giftbox (With Packaging)			Carton 1PCS		
L	W	H	L	W	H	L	W	H
1263.18mm	747.28mm	56.5mm				1435mm	175mm	1020mm
Net(kg)	31.45kg		Net(kg)			Net		
						G.W	39.75kg	

Next page Drawing

# PRODUCT SHEET

Android Display

55inch Android Touch Display - OS7.1 / 9.0 - RK3399

ArtNr: EL-5503AIO-T

DRAWINGS:

